

ASUS GX601 ROG STRIX HELIOS Midi Tower Negro

Marca : ASUS Código del producto: 90DC0020-B38000

Nombre del producto : GX601 ROG STRIX HELIOS

Gabinete gamer Mid-tower RGB ATX/EATX con paneles de vidrio templado, estructura de aluminio, soportes de GPU, compatibilidad con radiador de 420 mm y Aura Sync

ASUS GX601 ROG STRIX HELIOS. Factor de forma: Midi Tower, Tipo: PC, Color del producto: Negro.

Ventiladores frontales instalados: 3x 140 mm, Diámetro de ventiladores frontales soportados: 120,140 mm, Ventiladores traseros instalados: 1x 140 mm. Tamaños de disco duro soportados: 2.5,3.5". Ancho: 250 mm, Profundidad: 565 mm, Altura: 591 mm



Design		Ports & interfaces	
Material	Aluminium, Tempered glass	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Form factor *	Midi Tower	Cooling	
Type *	PC	Front fans installed	3x 140 mm
Product colour *	Black	Number of front fans supported (max)	3
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	Front fans diameters supported	120,140 mm
Number of 3.5" bays *	2	Rear fans installed	1x 140 mm
Number of 2.5" bays	4	Number of rear fans supported (max)	1
Number of internal 3.5" bays	2	Rear fans diameters supported	120,140 mm
Number of expansion slots	8	Number of top fans supported (max)	3
Side window	✓	Top fans diameters supported	120,140 mm
Suitable for	Gaming	Liquid cooling capability	✓
Illumination	✓	Front radiator sizes supported	120,140,240,280,360,420 mm
Illumination colour	Multi	Rear radiator sizes supported	120,140 mm
Illumination location	Front	Top radiator sizes supported	120,140,240,280,360 mm
Tempered glass panel(s)	✓	Storage	
Anti-dust filter	✓	Supported HDD sizes *	2.5,3.5"
Cable management	✓	HDD/SSD combo cage	✓
Reset button	✓	Number of HDDs supported	6
On/off button	✓	Weight & dimensions	
RGB control button	✓	Width	250 mm
Maximum CPU cooler height	19 cm	Depth	565 mm
Maximum graphics card length	45 cm	Height	591 mm
Maximum PSU length	22 cm	Weight	18 kg
Power supply			
Power supply included *	✗		

Ports & interfaces

Audio input	✓
Audio output	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-NOV-2024. Prints or copies of Information are only valid on the printed Publication date