



BenQ MS560 video proyector Proyector de alcance estándar 4000 lúmenes ANSI DLP SVGA (800x600) Blanco

Marca : BenQ

Código del producto: 9H.JND77.13L

Nombre del producto : MS560



BenQ MS560. Brillo de proyector: 4000 lúmenes ANSI, Tecnología de proyección: DLP, Resolución original del proyector: SVGA (800x600). Tipo de fuente de luz: Lámpara, Vida útil de la fuente de luz: 6000 h, Vida útil de la fuente de luz (modo económico): 10000 h. Intervalo de longitud focal: 22 - 24.1 mm, Rango de apertura: 2.56 - 2.68, Alcance de zoom: 1.1:1. Señal analógica: NTSC, PAL, SECAM, Formatos gráficos soportados: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Formato de vídeo soportado: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Tipo de serie de interfaz: RS-232, Versión HDMI: 1.4a



Projector		Ports & interfaces	
Projector brightness *	4000 ANSI lumens	Composite video in *	1
Projection technology *	DLP	AC (power) in	✓
Projector native resolution *	SVGA (800x600)	Network	
Contrast ratio (typical) *	20000:1	Smart TV *	✗
Native aspect ratio *	4:3	Ethernet LAN *	✗
Number of colours	1.07 billion colours	Storage	
Keystone correction, vertical	-40 - 40°	Card reader integrated *	✗
Matrix size	1.4 cm (0.55")	Features	
Light source		Interactive *	✗
Light source type *	Lamp	Noise level (economic mode)	29 dB
Service life of light source *	6000 h	HDCP	✓
Service life of light source (economic mode)	10000 h	On Screen Display (OSD)	✓
Lens system		Number of OSD languages	30
Focal length range	22 - 24.1 mm	Noise level *	34 dB
Aperture range (F-F)	2.56 - 2.68	Multimedia	
Zoom capability	✓	Built-in speaker(s) *	✓
Zoom ratio	1.1:1	RMS rated power	10 W
Throw ratio	1.96-2.15:1	Number of built-in speakers	1
Offset	110%	Design	
Video		Market positioning *	Presentation
Analog signal format system *	NTSC, PAL, SECAM	Product type *	Standard throw projector
Full HD *	✗	Product colour *	White
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power source *	AC
		Power consumption (typical) *	260 W

Ports & interfaces		Power	
HDMI version	1.4a	AC input voltage	100 - 240 V
S-Video inputs quantity	1	AC input frequency	50 - 60 Hz
USB 2.0 ports quantity *	2	Operational conditions	
USB 2.0 Type-A ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Mini-USB 2.0 ports quantity	1	Weight & dimensions	
Headphone outputs	1	Width	296 mm
Microphone in	✓	Depth	221 mm
Serial interface type *	RS-232	Height	120 mm
VGA (D-Sub) ports quantity *	2	Weight *	2.3 kg
HDMI ports quantity *	2	Packaging content	
		Remote control included *	✓
		Remote control type	IR
		Batteries included	✓
		Cables included	AC, VGA

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-NOV-2024. Prints or copies of Information are only valid on the printed Publication date