



## TP-Link Tapo D210 sistema de intercomunicación de video 3 MP Negro, Blanco

**Marca :** TP-Link

**Familia de productos:** Tapo

**Código del producto:** TAPO D210

**Nombre del producto :** D210

TP-Link Tapo D210. Megapíxeles: 3 MP, Máxima resolución de vídeo: 2304 x 1296 Píxeles, Formato de vídeo soportado: 1296p. Distancia de visión nocturna: 7.6 m, Tipo de LED: IR. Color del producto: Negro, Blanco, Código IP (International Protection): IP65, Tipo de control: Inalámbrico. Tarjetas de memoria compatibles: MicroSD (TransFlash), Tamaño máximo de tarjeta de memoria: 512 GB. Estándares de Wi-Fi: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Algoritmos de seguridad: 128-bit AES, SSL/TLS, WPA, WPA2-PSK



Technical details		Design	
Connectivity technology *	Wireless	Smartphone support	✓
Colour *	✓	Control type	Wireless
Speakerphone *	✓	Proper use	Outdoor
Frequency band	2.4 GHz	Waterproof	✓
Streaming capability	✓	Storage	
Wall mountable	✓	Memory card slot	✓
Built-in microphone	✓	Compatible memory cards	MicroSD (TransFlash)
Number of buttons	1 buttons	Maximum memory card size	512 GB
Camera		Network	
Megapixel (approx.)	3 MP	Wi-Fi	✓
Maximum video resolution	2304 x 1296 pixels	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Supported video modes	1296p	Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2-PSK
Sensor type	CMOS	Power	
Optical sensor size	25.4 / 3 mm (1 / 3")	Outdoor unit power type	Battery
Maximum frame rate	15 fps	AC adapter input voltage	100 - 240 V
Field of view (FOV) angle	160°	AC adapter frequency	50 - 60 Hz
Viewing angle, horizontal	135°	AC adapter output voltage	5 V
Viewing angle, vertical	109°	AC adapter output current	1 A
Digital zoom	10x	Battery type	Built-in battery
Motion sensor	✓	Battery technology	Lithium-Ion (Li-Ion)
Motion sensor technology	Passive infrared (PIR) sensor	Battery capacity	6400 mAh
Motion sensor detection angle	150°	Operational conditions	
Fixed focal length	1.18 mm	Operating temperature (T-T)	-20 - 45 °C
Maximum aperture number	1.8	Storage temperature (T-T)	-40 - 60 °C
Viewing angle, diagonal	160°	Operating relative humidity (H-H)	10 - 90%
Day/night mode	✓		

Night vision		Weight & dimensions	
Night vision	✓	Width	50 mm
Night vision distance	7.6 m	Depth	38.4 mm
LED type	IR	Height	150 mm
Audio		Packaging data	
Built-in speaker(s)	✓	Indoor unit included *	✗
Noise-canceling	✓	Outdoor unit included *	✓
Design		Mounting kit	✓
		Packaging content	
Product colour *	Black, White	Screws included	✓
International Protection (IP) code	IP65	Logistics data	
		Quantity per pack	1 pc(s)



8885020621228



4897098688069



8885021371344

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date