



TP-Link Archer C58HP router inalámbrico Ethernet rápido Doble banda (2,4 GHz / 5 GHz) Negro

Marca : TP-Link

Código del producto: ARCHER C58HP

Nombre del producto : Archer C58HP

TP-Link Archer C58HP. Banda Wi-Fi: Doble banda (2,4 GHz / 5 GHz), Máximo estándar Wi-Fi: Wi-Fi 5 (802.11ac), Tasa de transferencia de datos WLAN (máx.): 1300 Mbit/s. Tipo de interfaz Ethernet LAN: Ethernet rápido, Ethernet LAN, velocidad de transferencia de datos: 10,100 Mbit/s, Tecnología de cableado: 10/100Base-T(X). Algoritmos de seguridad: WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, Seguridad con cortafuegos: SPI Firewall. Protocolos de red compatibles: IPv4, IPv6. Tipo de producto: Router de mesa, Color del producto: Negro



WAN connection		Security	
Ethernet WAN *	✓	DMZ support	✓
DSL WAN *	✗	Network address translation (NAT)	✓
SIM card slot *	✗	Protocols	
3G/4G USB modem compatibility *	✗	DHCP client	✓
Wireless LAN features		DHCP server	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Supported network protocols	IPv4, IPv6
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Design	
WLAN data transfer rate (max) *	1300 Mbit/s	Product colour	Black
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	On/off switch	✓
WLAN data transfer rate (first band)	450 Mbit/s	Product type *	Tabletop router
WLAN data transfer rate (second band)	1300 Mbit/s	Certificates	
Network		Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Ethernet LAN *	✓	Packaging content	
Ethernet LAN interface type *	Fast Ethernet	Cables included	LAN (RJ-45)
Ethernet LAN data rates	10,100 Mbit/s	AC adapter included	✓
Cabling technology	10/100Base-T(X)	Quick start guide	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Sustainability	
Port forwarding	✓	Sustainability compliance	✓
Port triggering	✓	Antenna	
Dynamic DNS (DDNS)	✓	Antenna design *	External
Number of guest networks (2.4 GHz)	1	Antennas quantity	3
Number of guest networks (5 GHz)	1	Transmit power	30 dBmW
		Features	

Ports & interfaces		Features	
Ethernet LAN (RJ-45) ports *	4	Built-in processor	✓
USB port *	✗	Processor cores	1
DC-in jack	✓	Power	
Management features		Power source type *	DC
Web-based management	✓	Output voltage	12 V
Quality of Service (QoS) support	✓	Output current	1.5 A
Reset button	✓	Operational conditions	
WPS push button	✓	Operating temperature (T-T)	0 - 40 °C
Security		Storage temperature (T-T)	-40 - 70 °C
Security algorithms	WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise	Operating relative humidity (H-H)	10 - 90%
Firewall	✓	Storage relative humidity (H-H)	5 - 90%
Firewall security	SPI Firewall	System requirements	
Guest access	✓	Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista Enterprise x64, Windows XP
Stateful Packet Inspection (SPI)	✓	Linux operating systems supported	✓
Parental control	✓	Mac operating systems supported	✓
URL filtering	✓	Weight & dimensions	
		Width	249 mm
		Depth	217 mm
		Height	54 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAR-2025. Prints or copies of Information are only valid on the printed Publication date