



DELL WD19TBS-180W Alámbrico USB 3.2 Gen 2 (3.1 Gen 2) Type-C Negro

Marca : DELL

Código del producto: DELL-WD19TBS

Nombre del producto : WD19TBS-180W



USB 3.1 Gen2 Type-C, 3 x USB A 3.1, 2 x DisplayPort, HDMI, RJ-45, Thunderbolt 3, 180W

DELL WD19TBS-180W Alámbrico USB 3.2 Gen 2 (3.1 Gen 2) Type-C Negro:

Aumente la potencia de su PC con ExpressCharge™ Boost en la estación de base Thunderbolt más potente y la primera modular del mundo con un diseño preparado para el futuro. WD19TBS es una versión simplificada de WD19TB sin puertos de 3,5 mm.

DELL WD19TBS-180W. Tecnología de conectividad: Alámbrico, Interfaz de host: USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Ethernet LAN, velocidad de transferencia de datos: 1000 Mbit/s. Color del producto: Negro, Resolución (máxima digital): 5120 x 2880 Píxeles. Tipo de alimentación: CC, Voltaje de entrada AC: 120 - 230 V, Frecuencia de entrada AC: 50 - 60 Hz. Sistemas operativos Windows soportados: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10...



Ports & interfaces		Power	
Connectivity technology *	Wired	AC input voltage	120 - 230 V
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	AC input frequency	50 - 60 Hz
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Power supply	180 W
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Power cable length	0.8 m
PowerShare	✓	Software	
HDMI ports quantity *	1	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64
HDMI version	2.0		
DisplayPorts quantity	2	Linux operating systems supported	✓
DisplayPort version	1.4		
Thunderbolt 3 ports quantity	1	Operational conditions	
Microphone in *	✗	Operating temperature (T-T)	0 - 35 °C
DC-in jack	✓	Storage temperature (T-T)	-20 - 60 °C
Network		Operating relative humidity (H-H)	10 - 80%
Ethernet LAN *	✓	Storage relative humidity (H-H)	5 - 90%
Ethernet LAN (RJ-45) ports	1	Weight & dimensions	
Ethernet LAN data rates	1000 Mbit/s	Width	205 mm
Performance		Depth	90 mm
Card reader integrated *	✗	Height	29 mm
Maximum digital resolution	5120 x 2880 pixels	Weight	585 g
VESA mounting	✓	Packaging data	
Product colour *	Black	Quantity per pack	1 pc(s)
On/off switch	✓	Package width	300 mm
LED indicators	✓	Package depth	315 mm
Power			
Power source type	DC		

Packaging data	
Package height	62 mm
Logistics data	
Harmonized System (HS) code	84733020



5397184513996




0884116398356




884116398356




5704174403890



5704174469674



5055190199442



5704174880455



3523210099451



5715063104620



5715063215968

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.