



DELL P2219H monitor de computadora 55.9 cm (22") 1920 x 1080 Píxeles Full HD LED Negro

Marca : DELL

Código del producto: P2219H

Nombre del producto : P2219H

- 55.9cm (22") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- USB, VGA, HDMI, DisplayPort
- 55.9cm (22") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 8ms, 178°/178°, 1000:1



DELL P2219H monitor de computadora 55.9 cm (22") 1920 x 1080 Píxeles Full HD LED Negro:

Transforme la manera en que trabaja

Optimice el espacio de trabajo con este eficiente monitor de 21,5" construido con un diseño de cubierta ultrafina que ocupa poco espacio y brinda características que mejoran la comodidad.

- Mejor productividad: aproveche el espacio adicional del escritorio y las características multitarea.
- Amplia eficacia: aumente la productividad hasta un 18 %1 cuando trabaje con monitores duales.
- Diseño para adaptarse a la manera en que trabaja: concéntrese en su trabajo con una configuración ajustable que cuenta con organización de cables y evite que se le canse la vista con ComfortView.



Display		Ergonomics	
Display diagonal *	55.9 cm (22")	Swivelling	✓
Display resolution *	1920 x 1080 pixels	Swivel angle range	-45 - 45°
HD type *	Full HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 21°
Display technology *	LED	On Screen Display (OSD)	✓
Panel type *	IPS	Number of OSD languages	8
Backlight type	LED	Plug and Play	✓
Touchscreen *	✗	Cable length	1.8 m
Display brightness (typical)	250 cd/m ²	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	E
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	14 kWh
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (typical) *	13.5 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (standby) *	0.2 W
Contrast ratio (typical) *	1000:1	Power consumption (max)	36 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.2 W
Viewing angle, horizontal	178°	Power consumption (PowerSave)	15.7 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50 - 60 Hz
Response time (fast)	5 ms	Input current	1.5 A
Pixel pitch	0.248 x 0.248 mm	Energy efficiency scale	A to G
Pixel density	102 ppi	European Product Registry for Energy Labelling (EPREL) code	346941
Horizontal scan range	30 - 83 kHz	Operational conditions	
Vertical scan range	56 - 76 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	47.6 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	26.8 cm	Operating relative humidity (H-H)	20 - 80%
Viewable size diagonal	54.6 cm	Storage relative humidity (H-H)	10 - 90%
DDC/CI	✓		
Colour gamut	82%		

Display		Operational conditions	
3D	✗	Operating altitude	0 - 5000 m
Performance		Non-operating altitude	5000 - 12192 m
NVIDIA G-SYNC *	✗	Weight & dimensions	
AMD FreeSync *	✗	Width (with stand)	487.3 mm
Multimedia		Depth (with stand)	166 mm
Built-in speaker(s) *	✗	Height (with stand)	472 mm
Built-in camera *	✗	Weight (with stand)	4.72 kg
Design		Width (without stand)	487.3 mm
Market positioning *	Business	Depth (without stand)	41.3 mm
Product colour *	Black	Height (without stand)	293.4 mm
Ports & interfaces		Weight (without stand)	2.75 kg
Built-in USB hub *	✓	Bezel width (side)	5.62 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Bezel width (top)	5.62 mm
USB upstream port type	USB Type-B	Bezel width (bottom)	2 cm
Number of upstream ports	1	Packaging data	
USB Type-A downstream ports quantity	4	USB cable length	1.8 m
VGA (D-Sub) ports quantity	1	Packaging content	
DVI port	✗	Stand included	✓
HDMI *	✓	Cables included	AC, DisplayPort, USB
HDMI ports quantity	1	Manual	✓
DisplayPorts quantity	1	DisplayPort cable length	1.8 m
Audio input	✗	Sustainability	
Headphone out *	✗	Sustainability certificates	ENERGY STAR
AC (power) in	✓	Other features	
Network		On/off switch	✓
Ethernet LAN	✓	TV tuner integrated	✗
Ergonomics		Dell E-Value Code	p2219h
VESA mounting *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Panel mounting interface	100 x 100 mm	Ethernet LAN (RJ-45) ports	1
Cable lock slot *	✓	Certification	TCO, BFR/PVC
Height adjustment *	✓	Logistics data	
Adjustable height (max)	13 cm	Harmonized System (HS) code	85285210
Pivot	✓		
Pivot angle	-90 - 90°		



0884116305484




884116305484




5706998323163



0884116366263



884116366263



0884116366300



884116366300

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.