



Lenovo ThinkVision P24q-30 LED display 60.5 cm (23.8") 2560 x 1440 Pixeles Quad HD Negro

Marca : Lenovo

Familia de productos:
ThinkVision

Código del producto:
63B4GAR6LA

Nombre del producto :
P24q-30

- 60.5cm (23.8") Quad HD 2560 x 1440 W-LED IPS

- 6ms, 16:9, 300cd/m², 1000:1

- USB, HDMI, DisplayPort

60.5cm (23.8") Quad HD 2560 x 1440 W-LED IPS, 16:9, 300cd/m², 16.7M, 6ms, 178°/178°, 1000:1

Lenovo ThinkVision P24q-30. Diagonal de la pantalla: 60.5 cm (23.8"), Resolución de la pantalla: 2560 x 1440 Pixeles, Tipo HD: Quad HD, Tecnología de visualización: LED, Tiempo de respuesta: 6 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°.

Concentrador USB integrado. montaje VESA, Ajustes de altura. Color del producto: Negro



| Display | | Ergonomics | |
|-------------------------------------|-------------------------------|---|--------------|
| Display diagonal * | 60.5 cm (23.8") | VESA mounting * | ✓ |
| Display resolution * | 2560 x 1440 pixels | Panel mounting interface | 100 x 100 mm |
| HD type * | Quad HD | Cable management | ✓ |
| Native aspect ratio * | 16:9 | Cable lock slot * | ✓ |
| Display technology * | LED | Cable lock slot type | Kensington |
| Panel type * | IPS | Height adjustment * | ✓ |
| Backlight type | W-LED | Adjustable height (max) | 15.5 cm |
| Touchscreen * | ✗ | Pivot | ✓ |
| Display brightness (typical) | 300 cd/m² | Pivot angle | -90 - 90° |
| Response time * | 6 ms | Swivelling | ✓ |
| Anti-glare screen | ✓ | Swivel angle range | -45 - 45° |
| Screen shape * | Flat | Tilt adjustment | ✓ |
| Contrast ratio (typical) * | 1000:1 | Tilt angle range | -5 - 23.5° |
| Contrast ratio (dynamic) | 3000000:1 | On Screen Display (OSD) | ✓ |
| Maximum refresh rate * | 60 Hz | Power | |
| Viewing angle, horizontal | 178° | Energy efficiency class (SDR) * | E |
| Viewing angle, vertical | 178° | Energy consumption (SDR) per 1000 hours * | 16 kWh |
| Display number of colours * | 16.7 million colours | Power consumption (typical) * | 25 W |
| Response time (fast) | 4 ms | Power consumption (max) | 65 W |
| Pixel pitch | 0.205 x 0.205 mm | Power consumption (off) | 0.5 W |
| Pixel density | 123 ppi | AC input voltage | 100 - 240 V |
| Viewable size, horizontal | 52.7 cm | Power supply type | Internal |
| Viewable size, vertical | 29.6 cm | Energy efficiency scale | A to G |
| High Dynamic Range (HDR) supported | ✓ | Weight & dimensions | |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | Width (with stand) | 539.5 mm |
| Colour depth | 8 bit | Depth (with stand) | 199.7 mm |
| Colour gamut standard | sRGB | Height (with stand) | 503.8 mm |
| Colour gamut | 99% | Weight (with stand) | 5.7 kg |
| sRGB coverage (typical) | 99% | Width (without stand) | 539.5 mm |
| Performance | | Depth (without stand) | 46.5 mm |
| Low Blue Light technology | ✓ | Height (without stand) | 323.7 mm |
| Multimedia | | Weight (without stand) | 3.8 kg |
| Built-in speaker(s) * | ✗ | Bezel width (side) | 2 mm |
| Built-in camera * | ✗ | Bezel width (top) | 2 mm |
| | | Bezel width (bottom) | 1.8 mm |

| Design | | Packaging data | |
|--|-------------|------------------------------|---|
| Product colour * | Black | Package width | 620 mm |
| Colour name | Raven Black | Package depth | 160 mm |
| Ports & interfaces | | Package height | 420 mm |
| Built-in USB hub * | ✓ | Package weight | 8.3 kg |
| Number of upstream ports | 1 | Packaging content | |
| Number of USB Type-B upstream ports quantity | 1 | Stand included | ✓ |
| USB Type-A downstream ports quantity | 4 | Cables included | AC, DisplayPort, HDMI, USB Type-C |
| HDMI * | ✓ | Quick start guide | ✓ |
| HDMI ports quantity | 1 | DisplayPort cable length | 1.8 m |
| HDMI version | 2.0 | HDMI cable length | 1.8 m |
| DisplayPorts quantity | 2 | Other features | |
| DisplayPort version | 1.4 | Compatible operating systems | Windows 10, Windows 11 |
| Audio output | ✓ | Certification | Energy Star Certified, TCO 9.0, TCO Edge 2.0, EPEAT Gold, RoHS Eyesafe Display, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Low Blue Light, TÜV Rheinland Flicker Free, TÜV Rheinland Eye Comfort |
| Network | | | |
| Ethernet LAN | ✓ | | |



0196380977114



196380977114

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.