



## Dahua Technology DH-DAE-CPC5241FPN-0280B cámara de vigilancia Domo Cámara de seguridad IP 1920 x 1080 Píxeles

**Marca :** Dahua Technology

**Código del producto:** DH-DAE-CPC5241FPN-0280B

**Nombre del producto :** DH-DAE-CPC5241FPN-0280B

Dahua Technology DH-DAE-CPC5241FPN-0280B. Tipo: Cámara de seguridad IP, Tecnología de conectividad: Alámbrico, Rango dinámico: 120 Db. Color del producto: Blanco, Factor de forma: Domo, Material de la cubierta: Metal. Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 107°, Ángulo de visión del objetivo, vertical: 57°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia focal fija: 2.8 mm

Performance		Video	
Type *	IP security camera	Noise reduction technology	3D noise reduction
Connectivity technology *	Wired	Gain control type	Auto/Manual
Wide Dynamic Range (WDR)	✓	Highlight Compensation (HLC)	✓
Dynamic range	120 dB	Audio	
Design		Built-in microphone	✓
Form factor *	Dome	Network	
Product colour *	White	Ethernet LAN *	✓
Housing material	Metal	Ethernet interface type	Fast Ethernet
International Protection (IP) code	IP67	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; QoS; UPnP; NTP; Multicast; ICMP; IGMP; NFS; PPPoE; SNMP
IK code	IK10		
Camera		Wi-Fi *	✗
Angle of rotation	360°	Bluetooth *	✗
Lens viewing angle, horizontal	107°	Number of users	20 user(s)
Lens viewing angle, vertical	57°	Storage	
Lens viewing angle, diagonal	128°	Built-in HDD *	✗
Tilt angle range	0 - 80°	Card reader integrated	✓
Pan range	-30 - 30°	Compatible memory cards	MicroSD (TransFlash)
White balance	Auto, Manual	Maximum memory card size	256 GB
Camera shutter type	Electronic	Ports & interfaces	
Camera shutter speed	1/3 - 1/100000 s	Ethernet LAN (RJ-45) ports	1
Image sensor		Security	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Mirror	✓
Progressive scan	✓	Power	
Sensor type *	CMOS	Power source type *	DC, PoE
Lens system		Power consumption (typical)	4.8 W
Fixed focal length	2.8 mm	Power consumption (max)	8.2 W
Night vision		Power consumption (Power over Ethernet (PoE))	5.6 W
Night vision *	✓	DC output voltage	12
Night vision distance	20 m	Operational conditions	
LED type	IR	Operating temperature (T-T)	-40 - 60 °C
Number of illumination LEDs	2	Operating relative humidity (H-H)	0 - 95%
Video		Weight & dimensions	
Maximum resolution *	1920 x 1080 pixels	Height	64.8 mm
Total megapixels *	2 MP	Diameter	11.1 cm
Video compression formats	H.264, H.264B, H.264H, H.265, M-JPEG	Weight	423 g
Frame rate	30 fps		
Noise reduction	✓		

Packaging data	
Package weight	530 g
Packaging content	
Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date