



Dahua Technology IPC DH- -HDW8441X-3D cámara de vigilancia

Caja Cámara de seguridad IP Interior y exterior 2560 x 1440

Píxeles Techo

Marca : Dahua Technology

Familia de productos: IPC

Código del producto: DH-IPC-
HDW8441X-3D

Nombre del producto : DH-
IPC-HDW8441X-3D

Dahua Technology IPC DH- -HDW8441X-3D. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo, Color del producto: Blanco, Factor de forma: Caja. Balance de blancos: Auto, Modos personalizados, Manual, Natural, Exterior, Street lamp, Tipo de disparador de la cámara: Electrónico, Velocidad de obturador: 1/3 s-1/100,000. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"), Número de píxeles efectivos (A x V): 2560 x 1440 Píxeles. Intervalo de longitud focal: 2 - 2.8 mm, Distancia más cercana de enfoque: 1.1 m

Performance		Video	
Type *	IP security camera	Noise reduction technology	3D noise reduction
Placement supported *	Indoor & outdoor	Gain control type	Auto
Connectivity technology *	Wired	Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
People counting function	✓	Back Light Compensation (BLC)	✓
Wide Dynamic Range (WDR)	✓	Highlight Compensation (HLC)	✓
Day/night mode	✓	Region of Interest (ROI) encoding	✓
Alarm input/output	✓	Audio	
Dynamic range	120 dB	Audio input channels	2 channels
Design		Audio output channels	1 channels
Form factor *	Box	Network	
Mounting type *	Ceiling	Ethernet LAN *	✓
Product colour *	White	Networking standards	IEEE 802.1x
LED indicators	✓	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; QoS; UPnP; NTP; Multicast; ICMP; IGMP; NFS; SAMBA; PPPoE; SNMP
Housing material	Metal		
Protection features	Vandal proof	Wi-Fi *	✗
International Protection (IP) code	IP67	Bluetooth *	✗
IK code	IK10	Storage	
Weatherproof	✓	Built-in HDD *	✗
Fog proof	✓	Internal memory	4000 MB
Camera		ROM capacity	1000 MB
White balance	Auto, Custom modes, Manual, Natural, Outdoor, Street lamp	Ports & interfaces	
Camera shutter type	Electronic	Ethernet LAN (RJ-45) ports	1
Camera shutter speed	1/3 s-1/100,000	RS-485 ports	1
Adjustment shutter speed	Auto/Manual	Security	
Image sensor		Alarm input channels	2
Number of sensors	1	Alarm output channels	2
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Mirror	✓
Progressive scan	✓	Digital watermark	✓
Sensor type *	CMOS	Power	
Number of effective pixels (H x V)	2560 x 1440 pixels	Power source type *	DC, PoE
Lens system		Power consumption (max)	11.3 W
Number of lenses *	2	Power consumption (Power over Ethernet (PoE))	12.9 W
Focal length range	2 - 2.8 mm		
Maximum aperture number	1.6		
Closest focusing distance	1.1 m		

Night vision		Power	
Night vision *	✓	DC output current	12 A
Video		Operational conditions	
Maximum resolution *	2560 x 1440 pixels	Operating temperature (T-T)	-40 - 60 °C
Total megapixels *	4 MP	Storage temperature (T-T)	-40 - 60 °C
Video formats supported	H.264+, H.265+	Operating relative humidity (H-H)	0 - 95%
Video compression formats	H.264, H.264B, H.264H, H.265, M-JPEG	Weight & dimensions	
Frame rate	30 fps	Width	78 mm
Noise reduction	✓	Height	61.6 mm
		Length	204 mm
		Weight	820 g
		Packaging content	
		Number of cameras *	1



8435280914488

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date