

## DELL Precision 3680 Intel® Core™ i7 i7-14700 32 GB DDR5-SDRAM 512 GB SSD NVIDIA T400 Windows 11 Pro Tower Estación de trabajo Negro

Marca : DELL

Familia de productos: Precision Código del producto: 3000184397938.2

Nombre del producto : 3680

DELL Precision 3680. Familia de procesador: Intel® Core™ i7, Modelo del procesador: i7-14700. Memoria interna: 32 GB, Tipo de memoria interna: DDR5-SDRAM. Capacidad total de almacenaje: 512 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel UHD Graphics 770, Modelo de adaptador de gráficos discretos: NVIDIA T400. Sistema operativo instalado: Windows 11 Pro, Arquitectura del sistema operativo: 64-bit. Tipo de chasis: Tower. Tipo de producto: Estación de trabajo. Color del producto: Negro





## Processor Ports & interfaces Processor manufacturer \* Intel USB 3.2 Gen 2 (3.1 Gen 2) Type-A 2 ports quantity Processor family \* Intel® Core<sup>™</sup> i7 USB 3.2 Gen 2 (3.1 Gen 2) Type-C Intel® Core<sup>™</sup> i7 (14th gen) Processor generation 3 ports quantity Processor model \* i7-14700 USB 3.2 Gen 2x2 Type-C ports 1 Processor cores 20 quantity 28 Processor threads PowerShare 1 5.4 GHz Processor boost frequency Number of USB ports with 2 Performance cores 8 PowerShare support Efficient cores 12 **DisplayPorts** quantity 2 Performance-core Max Turbo DisplayPort version 1.4a 5.3 GHz Frequency Ethernet LAN (RJ-45) ports 1 Efficient-core Max Turbo Frequency 4.2 GHz Line-out Performance-core base frequency 2.1 GHz Combo headphone/mic port 1.5 GHz Efficient-core base frequency Number of rear USB ports 6 Processor cache 33 MB Number of front USB ports 4 Smart Cache Processor cache type Number of processors installed 1 Design Processor base power 65 W Chassis type \* Tower 219 W Maximum turbo power Placement supported Vertical Water cooling system Memory × Cable lock slot 1 Internal memory \* 32 GB Kensington Maximum internal memory \* 128 GB Cable lock slot type Internal memory type DDR5-SDRAM Black Product colour \* 4x DIMM Memory slots Viewing window × Non-ECC Performance Memory data transfer rate 4400 MT/s Market positioning **Business** Storage Motherboard chipset Intel W680 512 GB Realtek ALC3246-CG Audio chip Total storage capacity \*

Storage		Performance	
Storage media *	SSD	Audio system	High Definition Audio
Optical drive type *	×	Built-in speaker(s)	✓
Total SSDs capacity	512 GB	Number of speakers	1
Number of SSDs installed	1	Password protection	✓
SSD capacity	512 GB	Trusted Platform Module (TPM)	<ul> <li>Image: A set of the set of the</li></ul>
Graphics		Trusted Platform Module (TPM)	2.0
Discrete graphics card * Discrete GPU manufacturer On-board graphics card * Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type Number of discrete graphics cards On-board GPU manufacturer On-board graphics card family On-board graphics card model * Graphics card Mini DisplayPort ports quantity	<ul> <li>NVIDIA</li> <li>NVIDIA T400</li> <li>4 GB</li> <li>GDDR6</li> <li>1</li> <li>Intel</li> <li>Intel WHD Graphics</li> <li>Intel UHD Graphics 770</li> <li>3</li> </ul>	version Product type *	Workstation
			Workstation
		Software	
		Operating system installed * Operating system architecture	Windows 11 Pro 64-bit
		Power	
		Power supply input voltage	90 - 264 V
		Power supply input frequency	47/63 Hz
		80 PLUS certification	80 PLUS Platinum
		Operational conditions	
		Operating temperature (T-T)	10 - 35 °C
Network		Storage temperature (T-T)	-40 - 65 °C
Ethernet LAN *	1	Operating relative humidity (H-H)	20 - 85%
Ethernet LAN data rates	10,100,1000 Mbit/s	Storage relative humidity (H-H)	0 - 95%
Cabling technology	10/100/1000Base-T(X)	Operating altitude	-15.2 - 3048 m
LAN controller	Intel® I219-LM	Non-operating altitude Operating vibration	-15.2 - 10668 m 0.52 G
Ports & interfaces		Non-operating vibration	2 G
USB 2.0 ports quantity *	2	Operating shock	40 G
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Non-operating shock	105 G
		Weight & dimensions	
		Width *	173 mm
		Depth *	420.2 mm
		Height *	372.9 mm
		Packaging content	
		Cables included	AC

Display

Display included \*

×

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.