



Dahua Technology WizSense SD2A500NB-GNY-A-PV Tower Cámara de seguridad IP Exterior 2560 x 1920 Píxeles Techo/pared

Marca : Dahua Technology

Familia de productos: WizSense

Código del producto: DH-SD2A500NB-GNY-A-PV

Nombre del producto : SD2A500NB-GNY-A-PV

Dahua Technology WizSense SD2A500NB-GNY-A-PV. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared, Factor de forma: Tower. Ángulo de visión del objetivo, horizontal: 80.4°, Ángulo de visión del objetivo, vertical: 58.1°, Ángulo de visión de la lente, diagonal: 104.8°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"). Distancia de detección: 77.4 m, Distancia de observación: 31 m, Distancia de reconocimiento: 15.5 m



Performance		Night vision	
Type *	IP security camera	Number of illumination LEDs	4
Placement supported *	Outdoor	Video	
Connectivity technology *	Wired	Maximum resolution *	2560 x 1920 pixels
PTZ control	✓	Total megapixels *	5 MP
PTZ modes	Preset point	Audio	
Day/night mode	✓	Built-in speaker(s)	✓
Alarm input/output	✓	Audio system	1-way
Built-in light	✓	Audio input channels	1 channels
Design		Audio output channels	1 channels
Form factor *	Tower	Built-in microphone	✓
Mounting type *	Ceiling/wall	Number of microphones	1
Weatherproof	✓	Network	
Camera		Ethernet LAN *	✓
Camera pan control	✓	Number of users	20 user(s)
Camera tilt control	✓	Storage	
Minimum illumination	0 lx	Built-in HDD *	✗
Lens viewing angle, horizontal	80.4°	Card reader integrated	✓
Lens viewing angle, vertical	58.1°	Compatible memory cards	MicroSD (TransFlash)
Lens viewing angle, diagonal	104.8°	ROM capacity	128 MB
Tilt angle range	0 - 80°	RAM capacity	128 MB
Tilt preset speed	36.3 °/sec	Ports & interfaces	
Tilt manual speed	0.1 - 36.4 °/sec	Ethernet LAN (RJ-45) ports	1
Pan preset speed	74 °/sec	Security	
Pan manual speed	0.1 - 36.4 °/sec	Alarm input channels	1
Camera shutter type	Electronic	Alarm output channels	1
Camera shutter speed	1 - 100000 s		

Image sensor		Security	
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Siren noise level	55 dB
Progressive scan	✓	Management features	
Sensor type *	CMOS	Web-based management	✓
Lens system		Power	
Detect distance	77.4 m	Power source type *	DC, PoE
Observe distance	31 m	Power consumption (typical)	3.5 W
Recognize distance	15.5 m	Power consumption (max)	9 W
Lens diameter	7.74 mm	DC output voltage	12
Night vision		DC output current	1.5 A
Night vision *	✓	Weight & dimensions	
Night vision distance	30 m	Width	140.5 mm
B/W night vision distance	30 m	Diameter	11.1 cm
LED type	IR/White	Weight	500 g
		Weight (with stand)	1 kg
		Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-FEB-2025. Prints or copies of Information are only valid on the printed Publication date