



DELL PowerEdge R360 servidor 2 TB Bastidor (2U) Intel Xeon E E-2436 2.9 GHz 16 GB DDR5-SDRAM 600 W



Marca : DELL

Familia de productos:
PowerEdge

Código del producto: R360-
FY25Q4E-MX

Nombre del producto : R360

- No OS
- Intel Xeon E-2436 (18MB Cache, 2.9GHz)
- 16GB DDR5-SDRAM & 2000GB HDD
- iDRAC9 Basic 16G
Intel Xeon E-2436 (18MB Cache, 2.9GHz), 16GB DDR5-SDRAM, 2000GB HDD, LAN (Broadcom 5720), PERC H355, iDRAC9 Basic 16G, 600W, No OS

[DELL PowerEdge R360 servidor 2 TB Bastidor \(2U\) Intel Xeon E E-2436 2.9 GHz 16 GB DDR5-SDRAM 600 W:](#)


Rendimiento de procesamiento, compatibilidad con GPU

El PowerEdge R360 de 1U y un conector es un servidor en rack de nivel inicial para los clientes que desean versatilidad, asequibilidad y poder de procesamiento.

DELL PowerEdge R360. Familia de procesador: Intel Xeon E, Frecuencia del procesador: 2.9 GHz, Modelo del procesador: E-2436. Memoria interna: 16 GB, Tipo de memoria interna: DDR5-SDRAM. Capacidad total de almacenaje: 2 TB, Tamaño del HDD: 3.5", Interfaz del HDD: SATA III. Ethernet. Fuente de alimentación: 600 W, Suministro de energía redundante (RPS), soporte. Tipo de chasis: Bastidor (2U)

Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Processor family *	Intel Xeon E	VGA (D-Sub) ports quantity	1
Processor model *	E-2436	Serial ports quantity	1
Processor frequency *	2.9 GHz	Expansion slots	
Processor boost frequency	5 GHz	PCI Express x8 slots	1
Performance cores	6	PCI Express x16 slots	1
Processor cores	6	Design	
Processor cache	18 MB	Chassis type *	Rack (2U)
Number of processors installed	1	Product colour	Black
Memory		Rack rails	✓
Internal memory *	16 GB	Bezel	✓
Internal memory type *	DDR5-SDRAM	Performance	
Buffered memory type	Unregistered (unbuffered)	Remote administration	iDRAC9 Basic 16G
Memory slots	4x DIMM	Trusted Platform Module (TPM)	✓
ECC	✓	Software	
Memory data transfer rate	5600 MT/s	Operating system installed *	✗
Maximum internal memory *	128 GB	Compatible operating systems *	Canonical® Ubuntu® Server LTS Microsoft® Windows Server® with Hyper-V RedHat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi®
Storage		Power	
Total storage capacity *	2 TB	Redundant power supply (RPS) support *	✓
Number of HDDs installed	1	Power supply *	600 W
HDD capacity	2 TB	Power supply input voltage	200 - 240 V
HDD interface	SATA III	Power cable connector 1	NEMA 5-15P
HDD speed	7200 RPM	Power cable connector 2	C13 coupler
HDD size	3.5"	Weight & dimensions	
RAID support *	✓	Width	482 mm
Supported RAID controllers	PERC H355	Height	42.8 mm
Hot-Plug support	✓		
Optical drive type *	✗		
Internal drive bays	4		
Network			
LAN controller	Broadcom 5720		
Ethernet LAN	✓		

Network		Technical details	
Ethernet interface type	Gigabit Ethernet	3.5" HDD support	4
Ports & interfaces		Other features	
Ethernet LAN (RJ-45) ports *	2	Data transfer rate	6 Gbit/s
USB 2.0 ports quantity	2	Bytes per sector	512n



0884116485278



884116485278

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.