



DELL PowerEdge T160 servidor 2 TB Tower (3U) Intel Xeon E E-2436 2.9 GHz 16 GB DDR5-SDRAM 300 W

Marca : DELL

Familia de productos:
PowerEdge

Código del producto: T160-FY25Q4E-MX

Nombre del producto :
PowerEdge T160

- No OS
- Intel Xeon E-2436 (18MB Cache, 2.9GHz)
- 16GB DDR5-SDRAM & 2000GB HDD
- iDRAC Basic 15G

Intel Xeon E-2436 (18MB Cache, 2.9GHz), 16GB DDR5-SDRAM, 2000GB HDD, LAN (Broadcom 5720), PERC H355, iDRAC Basic 15G, 300W, No OS

[DELL PowerEdge T160 servidor 2 TB Tower \(3U\) Intel Xeon E E-2436 2.9 GHz 16 GB DDR5-SDRAM 300 W:](#)

Servidor en torre de 3U para cerca del borde


Dell PowerEdge T160 de un conector es un factor de forma con poca profundidad para los clientes que desean flexibilidad, asequibilidad y poder de procesamiento.

DELL PowerEdge T160. Familia de procesador: Intel Xeon E, Frecuencia del procesador: 2.9 GHz, Modelo del procesador: E-2436. Memoria interna: 16 GB, Tipo de memoria interna: DDR5-SDRAM. Capacidad total de almacenaje: 2 TB, Tamaño del HDD: 3.5", Interfaz del HDD: SATA III. Ethernet, Tecnología de cableado: 10/100/1000Base-T(X). Fuente de alimentación: 300 W. Tipo de chasis: Tower (3U)



Processor		Network	
Processor manufacturer *	Intel	Ethernet interface type	Gigabit Ethernet
Processor family *	Intel Xeon E	Ports & interfaces	
Processor model *	E-2436	Ethernet LAN (RJ-45) ports *	2
Processor frequency *	2.9 GHz	USB 2.0 ports quantity	3
Processor boost frequency	5 GHz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Performance cores	6	VGA (D-Sub) ports quantity	1
Processor cores	6	Serial ports quantity	1
Processor cache	18 MB	Design	
Number of processors installed	1	Chassis type *	Tower (3U)
Memory		Product colour	Black
Internal memory *	16 GB	Performance	
Internal memory type *	DDR5-SDRAM	Remote administration	iDRAC Basic 15G
Buffered memory type	Unregistered (unbuffered)	Software	
Memory slots	4x DIMM	Operating system installed *	✗
ECC	✓	Compatible operating systems *	Canonical Ubuntu Server LTS
Memory data transfer rate	5600 MT/s		Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux
Maximum internal memory *	128 GB		SUSE Linux Enterprise Server
Storage			VMware ESXi
Total storage capacity *	2 TB	Power	
Number of HDDs installed	1	Redundant power supply (RPS) support *	✗
HDD capacity	2 TB	Power supply *	300 W
HDD interface	SATA III	Power cable connector 1	NEMA 5-15P
HDD speed	7200 RPM	Power cable connector 2	C13 coupler
HDD size	3.5"	Operational conditions	
RAID support *	✗		
Supported RAID controllers	PERC H355		
Optical drive type *	✗		
Internal drive bays	3		

Storage		Operational conditions	
Supported storage drive interfaces	SAS, Serial ATA	Storage temperature (T-T)	-40 - 65 °C
Network		Storage relative humidity (H-H)	5 - 95%
LAN controller	Broadcom 5720	Operating altitude	0 - 3048 m
Ethernet LAN	✓	Non-operating altitude	0 - 12000 m
Cabling technology	10/100/1000Base-T(X)	Weight & dimensions	
		Width	132.5 mm
		Height	332.5 mm
		Other features	
		Data transfer rate	6 Gbit/s
		Bytes per sector	512n



0884116485254



884116485254

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.