



## TP-Link Deco PX50(3-pack) Doble banda (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Blanco 1 Interno

**Marca :** TP-Link

**Código del producto:** DECO PX50(3-PACK)

**Nombre del producto :** Deco PX50(3-pack)

TP-Link Deco PX50(3-pack). Color del producto: Blanco, Tipo de antena: Interno, Tipo de producto: Sistema de malla. Banda Wi-Fi: Doble banda (2,4 GHz / 5 GHz), Máximo estándar Wi-Fi: Wi-Fi 6 (802.11ax), Estándares de Wi-Fi: Wi-Fi 6 (802.11ax). Compatible con servicios en la nube: TP-Link ID, Seguridad con cortafuegos: SPI Firewall. Certificación: CE, FCC, RoHS. Ancho: 105 mm, Profundidad: 105 mm, Altura: 169 mm



Design		Features	
Product type	Mesh system	Quality of Service (QoS) support	✓
Product colour *	White	Cloud services supported	TP-Link ID
Antenna type *	Internal	Port forwarding	✓
Maximum coverage	600 m²	Firewall security	SPI Firewall
Wireless LAN features		DHCP client	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	DHCP server	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Universal Plug and Play (UPnP)	✓
Wi-Fi standards	Wi-Fi 6 (802.11ax)	Works with Amazon Alexa	✓
WLAN data transfer rate (first band)	2402 Mbit/s	MU-MIMO technology	✓
WLAN data transfer rate (second band)	574 Mbit/s	MIMO	✓
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Ports & interfaces	
Security algorithms	WPA, WPA2, WPA3	Ethernet LAN (RJ-45) ports *	1
Number of guest networks (5 GHz)	1	Certificates	
Number of guest networks (2.4 GHz)	1	Certification	CE, FCC, RoHS
Point-to-point protocol over Ethernet (PPPoE)	✓	Operational conditions	
Dynamic IP	✓	Operating temperature (T-T)	0 - 40 °C
Static IP	✓	Storage temperature (T-T)	-40 - 60 °C
IGMP proxy	✓	Operating relative humidity (H-H)	10 - 90%
IGMP snooping	✓	Storage relative humidity (H-H)	5 - 90%
Tagged VLAN	✓	Weight & dimensions	
Dynamic DNS (DDNS)	✓	Width	105 mm
Guest access	✓	Depth	105 mm
Apps supported	TP-Link Deco	Height	169 mm
		Packaging content	
		Number of products included	3 pc(s)


Features		Packaging content	
Built-in processor	✗	AC adapter included	✓
		Number of units included	3 pc(s)
		Ethernet cable	✓



4897098687901



4897098687932



0840030707902



840030707902

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-FEB-2025. Prints or copies of Information are only valid on the printed Publication date