



ARCTIC Liquid Freezer II 420 A-RGB Procesador Refrigerador de líquidos todo en uno 14 cm Negro 1 pieza(s)

Marca : ARCTIC

Código del producto: ACFRE00109A

Nombre del producto : Liquid Freezer II 420 A-RGB



ARCTIC Liquid Freezer II 420 A-RGB. Tipo: Refrigerador de líquidos todo en uno, Diámetro de ventilador: 14 cm, Velocidad de rotación (mín.): 200 RPM, Velocidad de rotación (máx.): 1800 RPM, Nivel de ruido: 0.3 sonio, Tipo de soporte: Rodamiento fluidodinámico (FDB). Color del producto: Negro




Performance		Power	
Suitable location *	Processor	Fan voltage	12 V
Type *	All-in-one liquid cooler	Fan current	0.17 A
Fan diameter	14 cm	Weight & dimensions	
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1200 (Socket H5), LGA 1700, LGA 2011-v3 (Socket R), LGA 2066, Socket AM3, Socket AM3+, Socket AM4, Socket AM5	Radiator width	5.3 cm
		Radiator depth	45.8 cm
Rotational speed (min)	200 RPM	Radiator height	13.8 cm
Rotational speed (max)	1800 RPM	Tube length	45 cm
Noise level	0.3 sone	Tube diameter	1.24 cm
Pulse-width modulation (PWM) support	✓	Tube inner diameter	6 mm
Bearing type	Fluid Dynamic Bearing (FDB)	Pump width	5.3 cm
Pump connector	4-pin	Pump depth	7.8 cm
Quantity per pack	1 pc(s)	Pump height	9.8 cm
Pump motor speed (min)	800 RPM	Weight	2.02 kg
Pump motor speed (max)	2000 RPM	Fan dimensions (W x D x H)	140 x 140 x 27 mm
Fan static pressure	2 mmH2O	Package width	158 mm
VRM fan speed (min)	1000 RPM	Package depth	447 mm
VRM fan speed (max)	3000 RPM	Package height	328 mm
		Package weight	2.79 kg
Design		Packaging content	
Product colour *	Black	Package type	Box
Radiator material	Aluminum	Mounting kit	✓
Number of fans	3 fan(s)	Thermal pad included	✓
Number of fan blades	5	CPU socket spacer(s)	✓
Illumination LED	✓	CPU bracket(s)	✓
Fan connector	4-pin	Other features	
		Country of origin	China

Power


Pump power consumption	0.5 W
VRM fan power consumption	2.7 W
LED voltage	5 V

Logistics data


Harmonized System (HS) code	84733080
-----------------------------	----------



4895213703406



0840033401210



840033401210

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.