



TP-Link VIGI C455(2.8mm) Torreta Cámara de seguridad IP Interior 2880 x 1620 Pixeles Techo

Marca : TP-Link

Código del producto: VIGI C455(2.8MM)

Nombre del producto : VIGI C455(2.8mm)

TP-Link VIGI C455(2.8mm). Tipo: Cámara de seguridad IP, Colocación compatible: Interior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo, Color del producto: Blanco, Factor de forma: Torreta. Iluminación mínima: 0.005 Lux, Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 111.4°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Relación señal/ruido (SNR) (cámara panorámica): 52 Db



Performance		Video	
Type *	IP security camera	Maximum resolution *	2880 x 1620 pixels
Placement supported *	Indoor	Total megapixels *	5 MP
Connectivity technology *	Wired	Video formats supported	H.264, H.264+, H.265, H.265+
Wide Dynamic Range (WDR)	✓	Image quality adjustment	Brightness, Contrast, Mirror, Saturation
Day/night mode	✓	Privacy masking	✓
Infrared (IR) cut-off filter	✓	Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Dynamic range	120 dB	Back Light Compensation (BLC)	✓
Design		Highlight Compensation (HLC)	✓
Form factor *	Turret	Region of Interest (ROI) encoding	✓
Mounting type *	Ceiling	Audio	
Product colour *	White	Built-in speaker(s)	✓
Housing material	Metal	Audio input channels	1 channels
Protection features	Waterproof	Audio output channels	1 channels
International Protection (IP) code	IP67	Sample rate	8 kHz
Camera		Built-in microphone	✓
Minimum illumination	0.005 lx	Voice codecs	G.711alaw
Angle of rotation	360°	Network	
Lens viewing angle, horizontal	111.4°	Ethernet LAN *	✓
Lens viewing angle, vertical	58.8°	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS
Lens viewing angle, diagonal	134°	Wi-Fi *	✗
Tilt angle range	0 - 85°	Bluetooth *	✗
Pan range	0 - 360°	Storage	
Camera shutter speed	1/3 - 1/10000 s	Built-in HDD *	✗
Number of Privacy masking areas	4		
Image sensor			
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")		
Sensor type *	CMOS		

Panoramic camera		Security	
Signal-to-Noise Ratio (SNR) (panoramic camera)	52 dB	Video motion detection	✓
Lens system		Human and vehicle targets classification	✓
Detect distance	64 m	Management features	
Observe distance	27 m	Web browser	✓
Recognize distance	13 m	Reset button	✓
Lens diameter	2.8 mm	Power	
Identify distance	6 m	Power source type *	AC, PoE
Fixed focal length	2.8 mm	Operational conditions	
Night vision		Operating temperature (T-T)	-30 - 60 °C
Night vision *	✓	Storage temperature (T-T)	-40 - 60 °C
Night vision distance	30 m	Weight & dimensions	
LED type	IR	Width	111 mm
Infra-red wavelength	850 nm	Depth	111 mm
		Height	83.7 mm
		Weight	480 g
		Packaging content	
		Number of cameras *	1



4895252506884

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date