


GIGABYTE Z890 UD WIFI6E placa base Intel Z890 LGA 1851 (Socket V1) ATX

Marca : GIGABYTE

Código del producto: Z890 UD WIFI6E

Nombre del producto : Placa base Z890 UD WIFI6E - Compatible con CPUs Intel Core Ultra (Serie 2), VRM de 12+1+2 fases, hasta 8800MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 6E, LAN 2.5GbE, USB 4



- Fases Digitales 12+1+2+1 60A DrMOS VRM con Capacitor Sólido
- Slot PCIe UD PCIe 5.0 Reforzado con Diseño PCIe EZ-Latch
- Diseño PCIe M.2 (Hasta 25110) con Thermal Guard
- Disipadores de Calor MOSFET Totalmente Cubiertos
- Wi-Fi 6E 2x2 con Diseño WIFI EZ-Plug
- LAN 2.5GbE, USB 4.0 Tipo-C, USB 3.2 Gen2 Tipo-C
- Placa base Z890 UD WIFI6E - Compatible con CPUs Intel Core Ultra (Serie 2), VRM de 12+1+2 fases, hasta 8800MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0, Wi-Fi 6E, LAN 2.5GbE, USB 4

GIGABYTE Z890 UD WIFI6E placa base Intel Z890 LGA 1851 (Socket V1) ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenido o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.

Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN	✓
Processor socket *	LGA 1851 (Socket V1)	Ethernet interface type	2.5 Gigabit Ethernet
Compatible processor series *	Intel Core Ultra (Series 2)	Wi-Fi *	✓
Supported processor sockets	LGA 1851	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Maximum internal memory supported by processor	256 GB	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Memory		WLAN controller model	Intel Wi-Fi 6E AX211
Supported memory types *	DDR5-SDRAM	Bluetooth	✓
Number of memory slots *	4	Bluetooth version	5.3
Memory slots type	DIMM	Features	
Memory channels	Dual-channel	Motherboard chipset *	Intel Z890
ECC compatibility	Non-ECC	Audio output channels *	7.1 channels
Supported memory clock speeds	5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800,7900,8000,8200,8266,8400,8600 MHz	Product colour	Black
Supported memory clock speed (max)	8800 MHz	PC health monitoring	Fan, Temperature, Voltage
Maximum internal memory *	256 GB	Component for *	PC
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 24GB, 32GB, 40GB, 48GB, 64GB	Motherboard form factor *	ATX
Storage controllers		Motherboard chipset family *	Intel
Supported storage drive types	HDD & SSD	Windows operating systems supported	Windows 11 x64
Supported storage drive interfaces *	M.2, SATA III	Expansion slots	
Number of HDDs supported	7	PCI Express x16 (Gen 4.x) slots	3
Number of storage drives supported	4	PCI Express x16 (Gen 5.x) slots	1
RAID support	✓	Number of M.2 (M) slots	3
RAID levels	0, 1, 5, 10	BIOS	
Graphics		BIOS type *	UEFI AMI
On-board graphics card	✗	BIOS memory size	256 Mbit
DirectX version	12.0		
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1		

Internal I/O		BIOS	
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	ACPI version	5.0
Number of SATA III connectors *	4	Clear CMOS jumper	✓
Total number of SATA connectors	4	Clear CMOS button	✓
ATX Power connector (24-pin)	✓	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
12V power connector	✓	Country of origin	China
RGB LED pin header	✓	Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports		Battery	
USB 2.0 ports quantity *	4	Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI ports quantity *	1	Battery type	CR2032
DisplayPorts quantity	2	Packaging data	
Microphone in	✓	Package width	335 mm
S/PDIF out port	✓	Package depth	270 mm
Thunderbolt ports quantity	2	Package height	80 mm
		Package weight	2.02 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.78 kg
		Technical details	
		Warranty period	3 year(s)



4719331865313

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-FEB-2025. Prints or copies of Information are only valid on the printed Publication date