



Dahua Technology DH-IPC-HFW3849E-AS-IL cámara de vigilancia Bala (forma) Cámara de seguridad IP Exterior 3840 x 2160 Píxeles Techo/pared

Marca : Dahua Technology

Código del producto: DH-IPC-HFW3849E-AS-IL

Nombre del producto : DH-IPC-HFW3849E-AS-IL

Dahua Technology DH-IPC-HFW3849E-AS-IL. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared, Color del producto: Blanco, Factor de forma: Bala (forma). Balance de blancos: Auto, Manual, Natural, Exterior, Regional custom, Street lamp. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia de visión nocturna: 30 m, Distancia de visión nocturna en B/N: 30 m, Tipo de LED: IR/Blanco



Performance		Audio	
Type *	IP security camera	Audio system	1-way
Placement supported *	Outdoor	Audio input channels	1 channels
Connectivity technology *	Wired	Audio output channels	1 channels
Wide Dynamic Range (WDR)	✓	Built-in microphone	✓
Day/night mode	✓	Network	
Alarm input/output	✓	Ethernet LAN *	✓
Built-in light	✓	Number of users	20 user(s)
Dynamic range	120 dB	Storage	
Design		Built-in HDD *	✗
Form factor *	Bullet	Card reader integrated	✓
Mounting type *	Ceiling/wall	Compatible memory cards	MicroSD (TransFlash)
Product colour *	White	Maximum memory card size	256 GB
International Protection (IP) code	IP67	ROM capacity	256 MB
Camera		RAM capacity	1000 MB
Minimum illumination	0 lx	Ports & interfaces	
White balance	Auto, Manual, Natural, Outdoor, Regional custom, Street lamp	Ethernet LAN (RJ-45) ports	1
Number of Privacy masking areas	8	Management features	
Image sensor		Cloud-managed *	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Cloud services supported	FTP
Progressive scan	✓	Power	
Sensor type *	CMOS	Power source type *	PoE
Night vision		Operational conditions	
Night vision *	✓	Operating temperature (T-T)	-40 - 60 °C
Night vision distance	30 m	Storage temperature (T-T)	-40 - 60 °C
B/W night vision distance	30 m	Operating relative humidity (H-H)	0 - 95%

Night vision		Operational conditions	
LED type	IR/White	Storage relative humidity (H-H)	0 - 95%
Number of illumination LEDs	2	Weight & dimensions	
Video		Width	192.7 mm
Maximum resolution *	3840 x 2160 pixels	Depth	70.5 mm
Total megapixels *	8 MP	Height	66.4 mm
Frame rate	30 fps	Weight	610 g
Noise reduction	✓	Packaging data	
Noise reduction technology	3D noise reduction	Package weight	770 g
Gain control type	Auto/Manual	Packaging content	
Flip & mirror	✓	Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date