

GIGABYTE B860 EAGLE WIFI6E placa base Intel B860 LGA 1851 (Socket V1) ATX

Marca : GIGABYTE

Código del producto: B860 EAGLE WIFI6E


Nombre del producto : B860 EAGLE WIFI6E Placa base - CPUs Intel Core Ultra, VRM de 12+1+2+1 fases, hasta 9066MHz DDR5, 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2x2

- Fases Híbridas Dobles 12+1+2+1 50A PPAK VRM
- Canal Doble DDR5 4DIMMs
- PCIe 5.0 x16 con Slot PCIE UD & EZ-Latch Plus
- M.2 Gen5 (Hasta 25110) con EZ-Latch Plus
- Disipadores de Calor MOSFET Avanzados / Protección Térmica M.2 con EZ-Latch Click
- Realtek 2x2 Wi-Fi 6E con WIFI EZ-Plug
- LAN 2.5GbE, USB 3.2 Gen2x2 Tipo-C
- Q-Flash Plus

B860 EAGLE WIFI6E Placa base - CPUs Intel Core Ultra, VRM de 12+1+2+1 fases, hasta 9066MHz DDR5, 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2x2

GIGABYTE B860 EAGLE WIFI6E placa base Intel B860 LGA 1851 (Socket V1) ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenido o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN	✓
Processor socket *	LGA 1851 (Socket V1)	Ethernet interface type	2.5 Gigabit Ethernet
Compatible processor series *	Intel® Core™ Ultra (Series 1), Intel Core Ultra (Series 2)	LAN controller	Realtek RTL8125D
Supported processor sockets	LGA 1851	Wi-Fi *	✓
Memory		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory types *	DDR5-SDRAM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Number of memory slots *	4	WLAN controller model	Intel Wi-Fi 6E AX211
Memory slots type	DIMM	Bluetooth	✓
Memory channels	Dual-channel	Bluetooth version	5.3
ECC compatibility	ECC & Non-ECC	Features	
Supported memory clock speeds	5600,6400,9066 MHz	Motherboard chipset *	Intel B860
Supported memory clock speed (max)	9066 MHz	Audio chip	Realtek ALC897
Maximum internal memory *	256 GB	Audio output channels *	7.1 channels
Unbuffered memory	✓	Product colour	Dark brown
Maximum internal memory per slot	64 GB	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Storage controllers		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	Intel
Number of HDDs supported	4	Cooling type	Passive
Number of storage drives supported	7	Power source type	ATX
RAID support	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID levels	0, 1, 5, 10	Expansion slots	
Graphics		PCI Express x16 (Gen 4.x) slots	2
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 5.x) slots	1
Maximum resolution	4096 x 2160 pixels	Number of M.2 (M) slots	3
HDCP	✓	1st M.2 largest key size	25110
DirectX version	12.0		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	1st M.2 highest PCI Express generation	5.0
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	2nd M.2 largest key size	25110
Number of SATA III connectors *	4	2nd M.2 highest PCI Express generation	4.0
S/PDIF out connector	✓	3rd M.2 largest key size	25110
Front panel audio connector	✓	3rd M.2 highest PCI Express generation	4.0
Front panel connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	256 Mbit
Number of CPU fan connectors	2	ACPI version	5.0
Number of chassis fan connectors	4	Clear CMOS jumper	✓
EPS power connector (8-pin)	✓	Desktop Management Interface (DMI) version	2.7
Number of EPS power connectors (8-pin)	1	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Serial port headers	1	Country of origin	China
Number of water pump connectors	3	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Number of RGB LED pin headers	4	Battery weight	3 g
Rear panel I/O ports		Lithium weight per battery	0.07 g
USB 2.0 ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2x2 Type-C ports quantity	1	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
PS/2 ports quantity	1	Package width	335 mm
HDMI ports quantity *	1	Package depth	270 mm
HDMI version	2.1	Package height	80 mm
DisplayPorts quantity	1	Package weight	1.92 kg
DisplayPort version	2.1	Weight & dimensions	
Headphone outputs	1	Width	305 mm
Line-in	✓	Depth	244 mm
Microphone in	✓	Height	35 mm
WiFi-AP antenna jack	2	Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.72 kg
		Technical details	
		Warranty period	3 year(s)



4719331866822

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date