

GIGABYTE B760M GAMING PLUS WIFI DDR4 Intel B760 LGA 1700 Micro ATX

Marca : GIGABYTE

Código del producto: B760M G P WIFI DDR4


Nombre del producto : B760M GAMING PLUS WIFI DDR4
Placa base - Compatible con procesadores Intel Core de 14ª generación, VRM de 4+1+1 fases, hasta 5333 MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6, LAN 1 GbE, USB 3.2 Gen 1



B760M GAMING PLUS WIFI DDR4 Placa base - Compatible con procesadores Intel Core de 14ª generación, VRM de 4+1+1 fases, hasta 5333 MHz DDR4 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6, LAN 1 GbE, USB 3.2 Gen 1

GIGABYTE B760M GAMING PLUS WIFI DDR4 Intel B760 LGA 1700 Micro ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenido o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN	✓
Processor socket *	LGA 1700	Ethernet interface type	Gigabit Ethernet
Compatible processor series *	Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel Core i9 12th Gen, Intel Core i9 13th Gen, Intel Core i9 14th Gen, Intel® Pentium®	LAN controller	Realtek RTL8111H
		Wi-Fi *	✓
		Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Supported processor sockets	LGA 1700	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Maximum internal memory supported by processor	128 GB	WLAN controller model	Realtek RTL8851BE
Memory		Bluetooth	✓
Supported memory types *	DDR4-SDRAM	Bluetooth version	5.3
Number of memory slots *	4	Features	
Memory slots type	DIMM	Motherboard chipset *	Intel B760
Memory channels	Dual-channel	Audio chip	Realtek ALC897
ECC compatibility	ECC & Non-ECC	Audio output channels *	7.1 channels
Supported memory clock speeds (MHz)	2133,2400,2666,2933,3000,3200,3300,3333,3400,3466,3600,3666,3733,3800,3866,4000,4133,4266,4300,4400,4500,4600,4700,4800,4933,5000,5133,5333	Product colour	Grey
Supported memory clock speed (max)	5333 MHz	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory	128 GB	Component for *	PC
Unbuffered memory	✓	Motherboard form factor *	micro ATX
Maximum internal memory per slot	32 GB	Motherboard chipset family *	Intel
Storage controllers		Power source type	ATX
Supported storage drive types	HDD & SSD	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Supported storage drive interfaces *	M.2, SATA III	Expansion slots	
Number of HDDs supported	4	PCI Express x1 (Gen 3.x) slots	2
Number of storage drives supported	6	PCI Express x16 (Gen 4.x) slots	1
RAID support	✓	Number of M.2 (M) slots	2
RAID levels	0, 1, 5, 10	1st M.2 largest key size	2280
Graphics			
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2304 pixels		

Graphics		Expansion slots	
HDCP	✓	1st M.2 highest PCI Express generation	4.0
DirectX version	12.0	2nd M.2 largest key size	2280
Internal I/O		2nd M.2 highest PCI Express generation	4.0
USB 2.0 connectors *	2	BIOS	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	BIOS type *	UEFI AMI
Number of SATA III connectors *	4	BIOS memory size	128 Mbit
S/PDIF out connector	✓	ACPI version	5.0
Front panel audio connector	✓	Clear CMOS jumper	✓
Front panel connector	✓	Desktop Management Interface (DMI) version	2.7
ATX Power connector (24-pin)	✓	System Management BIOS (SMBIOS) version	2.7
CPU fan connector	✓	Logistics data	
Number of CPU fan connectors	1	Country of origin	China
Number of chassis fan connectors	3	Products per shipping (inner) case	1 pc(s)
EPS power connector (8-pin)	✓	Battery	
Number of EPS power connectors (8-pin)	1	Battery weight	3 g
TPM connector	✓	Lithium weight per battery	0.07 g
Parallel connector	✓	Number of battery cells	1
Serial port headers	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
RGB LED pin header	✓	Battery type	CR2032
Number of RGB LED pin headers	2	Packaging data	
Rear panel I/O ports		Package width	270 mm
USB 2.0 ports quantity *	2	Package depth	268 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Package height	68 mm
Ethernet LAN (RJ-45) ports *	1	Package weight	1.2 kg
PS/2 ports quantity	1	Weight & dimensions	
HDMI ports quantity *	1	Width	244 mm
HDMI version	2.1	Depth	244 mm
DisplayPorts quantity	1	Height	35 mm
DisplayPort version	1.2	Packaging content	
Headphone outputs	1	Batteries included	✓
Line-in	✓	Antenna included	✓
WiFi-AP antenna jack	2	Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.1 kg
		Technical details	
		Warranty period	3 year(s)



4719331862855

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-FEB-2025. Prints or copies of Information are only valid on the printed Publication date