

Lenovo IdeaCentre AIO 24IRH9 Intel® Core™ i5 i5-13420H 60.5 cm (23.8") 1920 x 1080 Pixeles PC todo en uno 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Home Wi-Fi 6 (802.11ax) Gris

Marca : Lenovo

Familia de productos: IdeaCentre Código del producto: F0HN0009LD

Nombre del producto : AIO 24IRH9

- Windows 11 Home

- Intel Core i5-13420H (12MB Cache)
- 60.5 cm (23.8") Full HD 1920 x 1080 IPS
- 16GB (5200MHz) DDR5-SDRAM (1 x 16) & 512GB SSD

Intel Core i5-13420H (12MB Cache), 16GB DDR5-SDRAM, 512GB SSD, 60.5 cm (23.8") Full HD 1920 x 1080 IPS, Intel UHD Graphics, LAN, WLAN, Bluetooth, Webcam, Windows 11 Home

Lenovo IdeaCentre AIO 24IRH9 Intel® Core™ i5 i5-13420H 60.5 cm (23.8") 1920 x 1080 Pixeles PC todo en uno 16 GB DDR5-SDRAM 512 GB SSD Windows 11 Home Wi-Fi 6 (802.11ax) Gris:

Disfruta de una vida más fácil

- Rendimiento excepcional con el procesador Intel® Core™ i7 de hasta la 13.ª generación

- Pantalla táctil opcional para una fácil navegación

- Altavoces de audio Harman® y frecuencia de actualización uniforme para una experiencia cinematográfica

- Videollamadas nítidas y definidas con una solución de cámara web basada en algoritmos de IA





Display		Camera	
Display diagonal *	60.5 cm (23.8")	Built-in camera *	1
Display resolution *	1920 x 1080 pixels	Total megapixels	5 MP
Touchscreen *	×	Network	
HD type * Native aspect ratio Display brightness Panel type Contrast ratio (typical) Maximum refresh rate RGB colour space Anti-glare screen Colour gamut Tilt adjustment	Full HD 16:9 250 cd/m ² IPS 1300:1 100 Hz sRGB ✓ 99% ✓	Wi-Fi * Top Wi-Fi standard * Wi-Fi standards Antenna type Ethernet LAN * Ethernet LAN data rates Bluetooth * Bluetooth version Bluetooth Low Energy (BLE)	 ✓ Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 ✓ 100,1000 Mbit/s ✓ 5.2 ×
Tilt angle range	-5 - 15°	Ports & interfaces	
Processor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor boost frequency Performance cores Efficient cores Performance-core Max Turbo Frequency	Intel Intel® Core™ i5 13th gen Intel® Core™ i5 i5-13420H 8 4.6 GHz 4 4.6 GHz	Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * HDMI ports quantity * HDMI version Combo headphone/mic port Design Colour name	1 2 1 1 2 1.4/2.1 ✓
Efficient-core Max Turbo Frequency Processor cache Processor cache type	3.4 GHz 12 MB Smart Cache	Product colour * Performance Product type *	Grey All-in-One PC

Processor		Performance	
Processor base power	45 W	Motherboard chipset	Intel SoC
Maximum turbo power	95 W	Trusted Platform Module (TPM)	 Image: A start of the start of
Memory		Trusted Platform Module (TPM) version	2.0
Internal memory *	16 GB	BIOS password	 Image: A set of the set of the
Internal memory type	DDR5-SDRAM	Software	
Maximum internal memory * Memory slots	16 GB 2	Operating system installed *	Windows 11 Home
Memory slots type	2 SO-DIMM	Operating system language	Spanish
Memory clock speed	5200 MHz		Spanish
Memory layout (slots x size)	1 x 16 GB	Power	
Memory form factor	DIMM/SO-DIMM	AC adapter power	90 W
Storage		Weight & dimensions	
Total storage capacity *	512 GB	Width (with stand)	540 mm
Storage media *	SSD	Depth (with stand)	192 mm
Number of storage drives installed	1	Height (with stand)	431 mm
Total SSDs capacity	512 GB	Weight (with stand)	6 kg
Number of SSDs installed	1	Package width	670 mm
SSD capacity	512 GB	Package depth	229 mm
SSD interface	PCI Express 4.0	Package height	553 mm
NVMe	1	Package weight	9.55 kg
SSD form factor	M.2	Operational conditions	
Intel [®] Optane [™] Memory module		Operational conditions Operating temperature (T-T)	5 - 35 °C
Intel® Optane [™] Memory module installed	×	Operating temperature (T-T) Storage temperature (T-T)	-20 - 60 °C
Intel [®] Optane [™] Memory module		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 60 °C 20 - 80%
Intel® Optane [™] Memory module installed	×	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-20 - 60 °C 20 - 80% 10 - 90%
Intel® Optane [™] Memory module installed Optical drive type *	× ×	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m
Intel® Optane [™] Memory module installed Optical drive type * Card reader integrated Graphics	× × ×	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-20 - 60 °C 20 - 80% 10 - 90%
Intel® Optane [™] Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card *	× ×	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m
Intel® Optane [™] Memory module installed Optical drive type * Card reader integrated Graphics	× × × ×	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS
Intel® Optane [™] Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model *	× × × Not available	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates Compliance certificates	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS ErP Lot 3 and Lot 7 TÜV Rheinland
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model * On-board graphics card *	× × × Not available ✓	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card * On-board graphics card * On-board GPU manufacturer	× × × Not available ✓ Intel	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates Compliance certificates	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model * On-board graphics card * On-board GPU manufacturer On-board graphics card family	× × × Not available ✓ Intel Intel® UHD Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates Compliance certificates Certification	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card * On-board graphics card * On-board GPU manufacturer On-board graphics card family On-board graphics card model *	× × × Not available ✓ Intel Intel® UHD Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates Compliance certificates Certification Sustainability	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light TÜV Rheinland Ultra Low Noise
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model * On-board graphics card * On-board GPU manufacturer On-board graphics card family On-board graphics card model * Audio	× × × Not available ✓ Intel Intel® UHD Graphics Intel® UHD Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates Compliance certificates Certification Sustainability Sustainability compliance Sustainability certificates	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, ROHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light TÜV Rheinland Ultra Low Noise
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model * On-board graphics card * On-board GPU manufacturer On-board graphics card family On-board graphics card model * Audio Built-in speaker(s) *	× × × Not available ✓ Intel Intel® UHD Graphics Intel® UHD Graphics	Operating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeCertificatesCompliance certificatesCertificationSustainability complianceSustainability certificatesPackaging content	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light TÜV Rheinland Ultra Low Noise
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model * On-board graphics card 4 On-board graphics card family On-board graphics card family	× × × Not available ✓ Intel Intel® UHD Graphics Intel® UHD Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitudeCertificatesCompliance certificatesCertificationSustainability Sustainability compliance Sustainability certificatesPackaging content Mouse included	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, ROHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light TÜV Rheinland Ultra Low Noise GREENGUARD, ENERGY STAR
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card * On-board graphics card * On-board graphics card family On-board family O	× × × Not available ✓ Intel UHD Graphics Intel® UHD Graphics	Operating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeCertificatesCompliance certificatesCertificationSustainability complianceSustainability certificatesPackaging contentMouse includedMouse connectivity	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, ROHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light TÜV Rheinland Ultra Low Noise GREENGUARD, ENERGY STAR ✓ Wireless
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model * On-board graphics card * On-board GPU manufacturer On-board graphics card family On-board graphic	× × × Not available ✓ Intel Intel® UHD Graphics Intel® UHD Graphics	Operating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeCertificatesCompliance certificatesCertificationSustainability complianceSustainability certificatesPackaging contentMouse includedMouse connectivityKeyboard included	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, RoHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light TÜV Rheinland Ultra Low Noise GREENGUARD, ENERGY STAR ✓ Wireless ✓
Intel® Optane™ Memory module installed Optical drive type * Card reader integrated Graphics Discrete graphics card * Discrete graphics card model * On-board graphics card * On-board GPU manufacturer On-board graphics card family On-board family	× × × Not available ✓ Intel Intel® UHD Graphics Intel® UHD Graphics of W Harman Kardon	Operating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeCertificatesCompliance certificatesCertificationSustainability complianceSustainability certificatesPackaging contentMouse includedMouse connectivity	-20 - 60 °C 20 - 80% 10 - 90% -15.2 - 3048 m -15.2 - 12192 m WEEE, REACH, ROHS ErP Lot 3 and Lot 7 TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light TÜV Rheinland Ultra Low Noise ✓ GREENGUARD, ENERGY STAR ✓ Wireless





197531453976

0197531453976

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.