



be quiet! LIGHT BASE 600 LX White Midi Tower Blanco

Marca : be quiet! Código del producto: BGW68

Nombre del producto : LIGHT BASE 600 LX White

be quiet! LIGHT BASE 600 LX White. Factor de forma: Midi Tower, Tipo: PC, Color del producto: Blanco. Factores de forma de la fuente de alimentación compatibles: ATX, PS2. Ventiladores laterales instalados: 3x 120 mm, Diámetro de ventiladores secundarios soportados: 120 mm, Ventiladores traseros instalados: 1x 120 mm. Tamaños de disco duro soportados: 2.5,3.5". Ancho: 305 mm, Profundidad: 450 mm, Altura: 455 mm



Design		Cooling	
Material	Acrylonitrile butadiene styrene (ABS), Glass, SGCC	Number of rear fans supported (max)	1
Form factor *	Midi Tower	Rear fans diameters supported	120 mm
Type *	PC	Number of top fans supported (max)	3
Product colour *	White	Top fans diameters supported	120,140 mm
Supported motherboard form factors *	ATX, micro ATX, Mini-ITX	Number of bottom fans supported (max)	3
Number of 3.5" bays *	1	Bottom fans diameters supported	120,140 mm
Number of 2.5" bays	2	Fan speed	1500 - 1600 RPM
Number of expansion slots	7	Maximum airflow	51.5 cfm
Side window	✓	Fan 2 maximum airflow	48.8 cfm
Suitable for	Gaming	Maximum air pressure	1.34 mmH2O
Illumination	✓	Fan 2 maximum air pressure	1.04 mmH2O
Illumination colour	Multi	Liquid cooling capability	✓
Illumination location	Case fans, Front	Side radiator sizes supported	120,240 mm
Reset button	✓	Bottom radiator sizes supported	120,240,360 mm
On/off button	✓	Rear radiator sizes supported	120 mm
Maximum CPU cooler height	17 cm	Top radiator sizes supported	120,240,360 mm
Maximum graphics card length	40 cm	Pulse-width modulation (PWM) support	✓
Maximum PSU length	20 cm		
Power supply		Storage	
Power supply included *	✗	Supported HDD sizes *	2.5,3.5"
Supported power supply form factors	ATX, PS2		
Ports & interfaces		Technical details	
Audio input	✓	Compliance certificates	CE, RoHS, UKCA, WEEE
		Weight & dimensions	
		Width	305 mm

Ports & interfaces		Weight & dimensions	
Audio output	✓	Depth	450 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Height	455 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Weight	12.1 kg
Cooling		Packaging data	
Fan speed control	✓	Package width	390 mm
Side fans installed	3x 120 mm	Package depth	523 mm
Number of side fans supported (max)	3	Package height	554 mm
Side fans diameters supported	120 mm	Package weight	14.6 kg
Rear fans installed	1x 120 mm		



4260052191743

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date