## GIGABYTE B650 GAMING X AX V2 placa base AMD B650 Enchufe AM5 ATX

Marca: GIGABYTE

Código del producto: B650 GAMING X AX V2

Nombre del producto : B650 GAMING X AX V2 Placa base - AMD Ryzen serie 9000, VRM de 8+2+2 fases, hasta 8000 MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2



B650 GAMING X AX V2 Placa base - AMD Ryzen serie 9000, VRM de 8+2+2 fases, hasta 8000 MHz DDR5 (OC),  $1 \times PCIe 5.0 + 2 \times PCIe 4.0 M.2$ , LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2

GIGABYTE B650 GAMING X AX V2 placa base AMD B650 Enchufe AM5 ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor			Rear panel I/O ports	
Processor manufacture	er*	AMD	Microphone in	✓
Processor socket *		Socket AM5	WiFi-AP antenna jack	2
Compatible processor series *		Series Series	Network	
			Ethernet LAN	✓
Supported processor sockets		Socket AM5	Ethernet interface type	2.5 Gigabit Ethernet
Memory Supported memory types * DDR5-SDRAM			LAN controller	Realtek RTL8125
Number of memory slots *	4		Wi-Fi *	✓
Memory slots type Memory channels	DIMM Dual-channel		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
ECC compatibility  Supported memory clock speeds  Supported memory clock speed	MHz	00,7000,6800,6600,6400,6200,6000,5600,5200,4800,4400	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
(max) Maximum internal memory *	8000 MHz 256 GB		WLAN controller model	Realtek RTL8852CE
Unbuffered memory	✓		Bluetooth	✓
Maximum internal memory per slot	64 GB		Bluetooth version	5.3
Storage controllers			Features	
Supported storage drive types		HDD & SSD		AMD B650
Supported storage drive interfaces *		M.2, SATA III	Motherboard chipset *	Realtek ALC897
Number of HDDs supported		4	Audio chip Audio output channels *	7.1 channels
Number of storage drives supported		7	Product colour	7.1 Channels Brown
RAID support		✓	Product colour	Fan, Temperature, Voltage, Water
RAID levels		0, 1, 10	PC health monitoring	cooling
Graphics			Component for *	PC
Parallel processing technology		Net surrented	Motherboard form factor *	ATX
support *		Not supported	Motherboard chipset family *	AMD
Maximum resolution		4096 x 2160 pixels	Power source type	ATX
HDCP		✓	Windows operating systems supported Windows 10 x64, Window	Windows 10 x64, Windows 11 x64
DirectX version		12.0		,
Discrete graphics supp	ort	✓		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 3.x) slots	2
USB 3.2 Gen 1 (3.1 Gen 1)		PCI Express x16 (Gen 4.x) slots	1
connectors *	1	Number of M.2 (M) slots	3
USB 3.2 Gen 2x2 connectors	1	1st M.2 largest key size	25110
Number of SATA III connectors *	4	1st M.2 highest PCI Express	5.0
Front panel audio connector	/	generation	
Front panel connector	✓	2nd M.2 largest key size 2nd M.2 highest PCI Express	25110
ATX Power connector (24-pin)	✓	generation	4.0
CPU fan connector	✓	3rd M.2 largest key size	25110
Number of CPU fan connectors	2	3rd M.2 highest PCI Express	4.0
Number of chassis fan connectors	3	generation	
EPS power connector (8-pin)	1	BIOS	
Number of EPS power connectors (8-pin)	1	BIOS type * BIOS memory size	UEFI AMI 256 Mbit
TPM connector	<b>✓</b>	ACPI version	5.0
Serial port headers	1	Clear CMOS jumper	<b>✓</b>
12V power connector	✓	Desktop Management Interface	2.7
Number of water pump connectors	2	(DMI) version	2.7
RGB LED pin header	<b>✓</b>	System Management BIOS (SMBIOS) version	2.7
Number of RGB LED pin headers	5		
Rear panel I/O ports		Logistics data	China
USB 2.0 ports quantity *	3	Country of origin  Products per shipping (inner) case	China 1 pc(s)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Battery	1 με(5)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	1	Battery weight	3 g
ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C		Lithium weight per battery	0.07 g
ports quantity *	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI ports quantity * HDMI version	1 2.1	Battery type	CR2032
DisplayPorts quantity	1	Packaging data	
DisplayPort version	1.4	Package width	335 mm
Headphone outputs	1	Package depth	270 mm
Line-in	✓	Package height	80 mm
		Package weight	2.16 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	<b>✓</b>
		Antenna included	· /
		Screws included	· /
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)
			- , , - ,





4719331860073

0889523041376



889523041376

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.