## Lenovo ThinkPad P16v Intel Core Ultra 9 185H Estación de trabajo móvil 40.6 cm (16") WUXGA 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX 3000 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Español Negro

Marca: Lenovo Familia de productos: Código del producto: ThinkPad

21KYS10Q00

## Nombre del producto: P16v

- Windows 11 Pro 64-bit
- Intel Core Ultra 9 185H (24MB Cache)
- 40.6 cm (16") WUXGA 1920 x 1200 IPS, NVIDIA RTX 3000 Ada (8GB GDDR6)
- 32GB (5600MHz) DDR5-SDRAM (2 x 16) & 1000GB SSD

Intel Core Ultra 9 185H (24MB Cache), 32GB DDR5-SDRAM, 1000GB SSD, 40.6 cm (16") WUXGA 1920  $\times$ 1200 IPS, Intel Arc Graphics, NVIDIA RTX 3000 Ada (8GB GDDR6), LAN, WLAN, Webcam, Windows 11 Pro

Lenovo ThinkPad P16v. Tipo de producto: Estación de trabajo móvil, Factor de forma: Concha. Familia de procesador: Intel Core Ultra 9, Modelo del procesador: 185H. Diagonal de la pantalla: 40.6 cm (16"), Tipo HD: WUXGA, Resolución de la pantalla: 1920 x 1200 Pixeles. Memoria interna: 32 GB, Tipo de memoria interna: DDR5-SDRAM. Capacidad total de almacenaje: 1 TB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel Arc Graphics, Modelo de adaptador de gráficos discretos: NVIDIA RTX 3000 Ada. Sistema operativo instalado: Windows 11 Pro. Color del producto: Negro





Design		Audio	
Product type *	Mobile workstation	Built-in microphone	✓
Product colour *	Black	Number of microphones	2
Form factor *	Clamshell Polycarbonate (PC), Acrylonitrile butadiene styrene (ABS)	Camera	
Housing material		Front camera	<b>✓</b>
Display		Front camera resolution (numeric)	5 MP
Display diagonal *	40.6 cm (16")	Infrared (IR) camera	✓
Display resolution *	1920 x 1200 pixels	Privacy camera	✓
Touchscreen *	×	Privacy type	Privacy shutter
HD type	WUXGA	Network	
Panel type	IPS	Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)
LED backlight	✓	Wi-Fi standards	Wi-Fi 6E (802.11ax)
Native aspect ratio	16:10	Mobile network connection *	×
Anti-glare screen	✓	Antenna type	2x2
Display brightness	300 cd/m <sup>2</sup>	WLAN controller model	Intel Wi-Fi 6E AX211
RGB colour space	NTSC	WLAN controller manufacturer	Intel
Colour gamut	45%	Ethernet LAN	<b>✓</b>
Maximum refresh rate	60 Hz	Ethernet LAN data rates	1000,100 Mbit/s
Contrast ratio (typical)	800:1	Bluetooth	✓
Processor		Bluetooth version	5.3
Processor manufacturer *	Intel	Near Field Communication (NFC)	×
Processor family *	Intel Core Ultra 9	WWAN	Not installed
Processor generation	Intel® Core™ Ultra (Series 1)	Ports & interfaces	
Processor model * Processor cores	185H 16	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1
Processor threads	22	ports quantity *	_
Processor boost frequency	5.1 GHz	Ethernet LAN (RJ-45) ports	1
Performance cores	6	HDMI ports quantity * HDMI version	1 2.1
Efficient cores	8	Thunderbolt 4 ports quantity	2.1
Low Power Efficient-cores	2	Intel® Thunderbolt 4	∠ ✓
Performance-core Max Turbo Frequency	5.1 GHz	Combo headphone/mic port	<b>✓</b>
Efficient-core Max Turbo Frequency	3.8 GHz	USB Type-C DisplayPort Alternate	✓
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Mode USB Sleep-and-Charge	1

Processor		Ports & interfaces	
Performance-core base frequency	2.3 GHz	USB Sleep-and-Charge ports	1
Efficient-core base frequency	1.8 GHz	Performance	
Low Power Efficient-core Base	1000 MHz	Motherboard chipset	Intel SoC
Frequency Processor cache	24 MB	·	mer soc
Processor cache type	Smart Cache	Keyboard	
Processor base power	45 W	Pointing device	ThinkPad UltraNav
Maximum turbo power	115 W	Numeric keypad *	✓
·	113	Keyboard backlit	✓
Neural processor unit (NPU)		Spill-resistant keyboard	✓
Neural processor unit (NPU)	Intel Al Boost	Keyboard language	Spanish
Sparsity support	<b>✓</b>	Software	
Windows Studio effects support	<b>✓</b>	Operating system architecture	64-bit
Al software frameworks supported by NPU	DirectML, ONNX RT, OpenVINO, Windows ML	Operating system language	Spanish
	WITHOUS ML	Operating system installed *	Windows 11 Pro
Memory		Bundled software	Intel Connectivity Performance
Internal memory *	32 GB	banarea soreware	Suite
Internal memory type	DDR5-SDRAM	Battery	
Memory clock speed	5600 MHz	Battery technology	Lithium Polymer (LiPo)
Memory Javout (slots x cizo)	SO-DIMM	Battery capacity *	90 Wh
Memory layout (slots x size) Memory slots	2 x 16 GB 2x SO-DIMM	Fast charging	✓
Maximum internal memory *	96 GB	Power	
Memory channels	Dual-channel	AC adapter power	170 W
Non-ECC	<b>/</b>	AC adapter frequency	50 - 60 Hz
		AC adapter input voltage	100 - 240 V
Storage		USB Type-C charging port *	✓
Total storage capacity *	1 TB	USB Power Delivery (USB PD)	<b>✓</b>
Storage media *	SSD	• • • •	
Total SSDs capacity  Number of SSDs installed	1 TB	Security	
SSD capacity	1 1 TB	Cable lock slot	✓
SSD interface	PCI Express 4.0	Cable lock slot type	Kensington
NVMe	✓	Fingerprint reader	✓
SSD form factor	M.2	Smart card reader	×
Optical drive type *	X	Windows Hello	✓
Card reader integrated	· •	Trusted Platform Module (TPM)	✓
Compatible memory cards	SD	Trusted Platform Module (TPM)	2.0
	30	version	
Graphics		Password protection	·
Discrete GPU manufacturer	NVIDIA	Password protection type	BIOS, Power on, Supervisor, SSD
Discrete graphics card model *	NVIDIA RTX 3000 Ada	Operational conditions	
Discrete graphics card memory	8 GB	Operating temperature (T-T)	5 - 35 °C
Discrete graphics memory type  On board graphics card *	GDDR6 ✓	Storage temperature (T-T)	5 - 43 °C
On-board graphics card * On-board GPU manufacturer		Operating relative humidity (H-H)	8 - 95%
	Intel 🗸	Storage relative humidity (H-H)	5 - 95%
Discrete graphics card * On-board graphics card family	Intel Arc Graphics	Maximum shipping altitude	3048 m
On-board graphics card family  On-board graphics card model *	Intel Arc Graphics Intel Arc Graphics	Certificates	
	inci nic Grapinos	Compliance certificates	RoHS
Audio		Certification	MIL-STD-810H military test passed
Audio chip	Realtek ALC3287	Sustainability	
Audio system	Dolby Audio Premium	Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO
Number of built-in speakers	2 2 W	Weight & dimensions	
Speaker power	2 W		265 mm
		Width	365 mm 262 mm
		Depth Height	262 mm 24.7 mm
		Weight *	2.22 kg
			<b>_</b> <del>g</del>
		Packaging content	
		AC adapter included *	<b>✓</b>





198155003882

0198155003882

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.