

DeepCool CG530 4F WH Midi Tower Blanco

Marca : DeepCool

Código del producto: R-CG530-WHADA4-G-1

Nombre del producto : CG530 4F WH

DeepCool CG530 4F WH. Factor de forma: Midi Tower, Tipo: PC, Color del producto: Blanco. Factores de forma de la fuente de alimentación compatibles: ATX, PS2. Ventiladores laterales instalados: 3x 120 mm, Diámetro de ventiladores secundarios soportados: 120,140 mm, Ventiladores traseros instalados: 1x 120 mm. Tamaños de disco duro soportados: 2.5,3.5". Ancho: 285 mm, Profundidad: 440 mm, Altura: 399 mm



| Design | | Cooling | |
|---|---|---------------------------------------|------------------------|
| Material | Acrylonitrile butadiene styrene (ABS), SPCC, Tempered glass | Side fans installed | 3x 120 mm |
| Form factor * | Midi Tower | Number of side fans supported (max) | 3 |
| Type * | PC | Side fans diameters supported | 120,140 mm |
| Product colour * | White | Rear fans installed | 1x 120 mm |
| Supported motherboard form factors * | ATX, ITX, micro ATX | Number of rear fans supported (max) | 1 |
| Number of 3.5" bays * | 2 | Rear fans diameters supported | 120 mm |
| Number of 2.5" bays | 3 | Number of top fans supported (max) | 3 |
| Number of expansion slots | 7 | Top fans diameters supported | 120,140 mm |
| Side window | ✓ | Number of bottom fans supported (max) | 3 |
| Suitable for | Gaming | Bottom fans diameters supported | 120 mm |
| Illumination | ✓ | Liquid cooling capability | ✓ |
| Illumination colour | Multi | Side radiator sizes supported | 120,140,240,280 mm |
| Illumination location | Case fans | Bottom radiator sizes supported | 120,240,360 mm |
| Tempered glass panel(s) | ✓ | Top radiator sizes supported | 120,140,240,280,360 mm |
| Anti-dust filter | ✓ | Storage | |
| Cable management | ✓ | Supported HDD sizes * | 2.5,3.5" |
| Reset button | ✓ | Weight & dimensions | |
| On/off button | ✓ | Width | 285 mm |
| Maximum CPU cooler height | 16 cm | Depth | 440 mm |
| Maximum graphics card length | 41 cm | Height | 399 mm |
| Maximum PSU length | 21 cm | Other features | |
| Power supply | | Tempered glass panel thickness | 4 mm |
| Power supply included * | ✗ | | |
| Supported power supply form factors | ATX, PS2 | | |
| Ports & interfaces | | | |
| Audio output | ✓ | | |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2 | | |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1 | | |



6933412765165

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-APR-2025. Prints or copies of Information are only valid on the printed Publication date