

GIGABYTE B850M D3HP placa base AMD B850 Enchufe AM5 Micro ATX

Marca : GIGABYTE

Código del producto: B850M D3HP


Nombre del producto : B850M D3HP Placa Base - Procesadores AMD Ryzen Serie 9000, 5+2+2 fases VRM digitales, hasta 8200MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, LAN GbE, USB 3.2 Gen 2

- 5+2+2 Fases VRM Digital con DrMOS
- Doble Canal DDR5: 4*DIMMs
- PCIe Gen5 x16 con Slot PCIe UD y EZ-Latch
- M.2 Gen5 con Disipador M.2, Disipador MOSFET

B850M D3HP Placa Base - Procesadores AMD Ryzen Serie 9000, 5+2+2 fases VRM digitales, hasta 8200MHz DDR5 (OC), 1xPCIe 5.0 + 1xPCIe 4.0 M.2, LAN GbE, USB 3.2 Gen 2

GIGABYTE B850M D3HP placa base AMD B850 Enchufe AM5 Micro ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenido o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	HDMI version	2.1
Processor socket *	Socket AM5	DisplayPorts quantity	1
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	DisplayPort version	2.1
		Headphone outputs	1
Supported processor sockets	Socket AM5	Microphone in	✓
Memory		WiFi-AP antenna jack	2
Supported memory types *	DDR5-SDRAM	Network	
Number of memory slots *	4	Ethernet LAN	✓
Memory slots type	DIMM	Ethernet interface type	Gigabit Ethernet
Memory channels	Dual-channel	Wi-Fi *	✗
ECC compatibility	Non-ECC	Features	
Supported memory clock speeds	4400,4800,5200,5600,6000,6200,6400,6600,6666,6800,7000,7200,7600,7800,8000,8200 MHz	Motherboard chipset *	AMD B850
Supported memory clock speed (max)	8200 MHz	Audio chip	Realtek ALC897
Maximum internal memory *	256 GB	Audio output channels *	7.1 channels
Unbuffered memory	✓	Product colour	Brown
Maximum internal memory per slot	64 GB	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Storage controllers		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	micro ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	AMD
Number of HDDs supported	4	Power source type	ATX
Number of storage drives supported	6	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID support	✓	Expansion slots	
RAID levels	0, 1, 10	PCI Express x16 (Gen 5.x) slots	1
Graphics		Number of M.2 (M) slots	2
Parallel processing technology support *	Not supported	1st M.2 largest key size	2580
Maximum resolution	4096 x 2160 pixels	1st M.2 highest PCI Express generation	5.0
HDCP	✓	2nd M.2 largest key size	22110
DirectX version	12.0	2nd M.2 highest PCI Express generation	4.0
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2		
Number of SATA III connectors *	4		
Front panel audio connector	✓		

Internal I/O		BIOS	
Front panel connector	✓	BIOS type *	UEFI AMI
ATX Power connector (24-pin)	✓	BIOS memory size	256 Mbit
CPU fan connector	✓	ACPI version	5.0
Number of CPU fan connectors	2	Clear CMOS jumper	✓
Number of chassis fan connectors	3	Clear CMOS button	✓
Peripheral (Molex) power connectors (4-pin)	1	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
Number of EPS power connectors (8-pin)	1	Logistics data	
TPM connector	✓	Country of origin	China
Serial port headers	1	Products per shipping (inner) case	1 pc(s)
12V power connector	✓	Battery	
RGB LED pin header	✓	Battery weight	3 g
Number of RGB LED pin headers	4	Lithium weight per battery	0.07 g
Rear panel I/O ports		Number of battery cells	1
USB 2.0 ports quantity *	2	Battery technology	Lithium-Manganese Dioxide (LiMnO ₂)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Battery type	CR2032
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1	Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Width	244 mm
HDMI ports quantity *	1	Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.3 kg
		Technical details	
		Warranty period	3 year(s)



4719331867058

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2025. Prints or copies of Information are only valid on the printed Publication date