



TP-Link VIGI C250 Domo Cámara de seguridad IP Interior y exterior 2880 x 1620 Píxeles Techo

Marca : TP-Link

Familia de productos: VIGI

Código del producto: VIGI C250(2.8MM)

Nombre del producto : VIGI C250



TP-Link VIGI C250. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo, Color del producto: Blanco, Negro, Factor de forma: Domo. Iluminación mínima: 0.005 Lux, Ángulo de campo de visión (FOV): 128°, Ángulo de visión del objetivo, horizontal: 109°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia de detección: 64 m, Distancia de observación: 27 m, Distancia de reconocimiento: 13 m

Performance		Video	
Type *	IP security camera	Video recording	✓
Placement supported *	Indoor & outdoor	Frame rate	30 fps
Connectivity technology *	Wired	Video streaming	✓
Wide Dynamic Range (WDR)	✓	Noise reduction	✓
Day/night mode	✓	Bit rate control	Variable Bit Rate (VBR)
Infrared (IR) cut-off filter	✓	Bit rate	256 Kbps - 6 Mbps
Built-in light	✓	Back Light Compensation (BLC)	✓
Dynamic range	120 dB	Highlight Compensation (HLC)	✓
Certification	CE, NTRA, VCCI, KC, BSMI, FCC, IC	Region of Interest (ROI) encoding	✓
Design		Smart IR	✓
Form factor *	Dome	Audio	
Mounting type *	Ceiling	Sample rate	8 kHz
Product colour *	White, Black	Signal-to-Noise Ratio (SNR)	52 dB
Housing material	Plastic	Built-in microphone	✓
International Protection (IP) code	IP67	Voice codecs	G.711
IK code	IK10	Network	
Weatherproof	✓	Ethernet LAN *	✓
Camera		Ethernet interface type	Fast Ethernet
Minimum illumination	0.005 lx	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS
Field of view (FOV) angle	128°	Wi-Fi *	✗
Lens viewing angle, horizontal	109°	Bluetooth *	✗
Lens viewing angle, vertical	57°	Storage	
Lens viewing angle, diagonal	128°	Built-in HDD *	✗
Tilt angle range	0 - 85°	Compatible memory cards	MicroSD (TransFlash)
Pan range	0 - 360°	Maximum memory card size	256 GB
Camera shutter speed	1/3 - 1/10000 s	Ports & interfaces	
Number of Privacy masking areas	4	Ethernet LAN (RJ-45) ports	1
Image sensor		DC-in jack	✓
Number of sensors	1	Management features	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Reset button	✓
Progressive scan	✓	Power	
Sensor type *	CMOS	Power source type *	DC
Lens system		Power consumption (typical)	1.5 W
Number of lenses *	1		
Detect distance	64 m		
Observe distance	27 m		
Recognize distance	13 m		

Lens system		Power	
Maximum aperture number	1.6	Power consumption (max)	7 W
Identify distance	6 m	Operational conditions	
Fixed focal length	2.8 mm	Operating temperature (T-T)	-30 - 60 °C
Night vision		Storage temperature (T-T)	-40 - 60 °C
Night vision *	✓	Operating relative humidity (H-H)	0 - 95%
Night vision distance	30 m	Storage relative humidity (H-H)	0 - 95%
Number of illumination LEDs	1	Weight & dimensions	
Infra-red wavelength	850 nm	Height	85.7 mm
Video		Diameter	11.5 cm
Maximum resolution *	2880 x 1620 pixels	Weight	280 g
Total megapixels *	5 MP	Packaging data	
Video formats supported	H.264, H.264+, H.265, H.265+	Package width	153 mm
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2688 x 1520, 2880 x 1620	Package depth	193 mm
Supported video modes	720p, 1080p, 2560p, 2880p	Package height	120 mm
		Package weight	470 g
		Package type	Box
		Packaging content	
		Number of cameras *	1



4895252503081



4895252503074

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-APR-2025. Prints or copies of Information are only valid on the printed Publication date