ASUS PRIME B860M-K Intel B860 LGA 1851 (Socket V1) Micro ATX

Marca : ASUS Código del producto: 90MB1JT0-M0EAY0

Nombre del producto: PRIME B860M-K

ASUS PRIME B860M-K. Fabricante de procesador: Intel, Socket de procesador: LGA 1851 (Socket V1), Procesador compatible: Intel Core Ultra (Series 2). tipos de memoria compatibles: DDR5-SDRAM, Memoria interna máxima: 128 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, SATA III, Tipos de unidades de almacenamiento admitidas: HDD & SSD, Niveles RAID: 0, 1, 5, 10. Tipo de interfaz ethernet: 2.5 Gigabit Ethernet. Componente para: PC, Factor de forma de la tarjeta madre: Micro ATX, Familia del chipset: Intel





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Supported processor sockets	Intel LGA 1851 (Socket V1) Intel Core Ultra (Series 2) LGA 1851	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * Ethernet LAN (RJ-45) ports *	2 1 1
Memory		PS/2 ports quantity	1
Supported memory types * Number of memory slots *	DDR5-SDRAM 2	HDMI ports quantity * DisplayPorts quantity	1 1
Memory slots type	DIMM	Network	
Memory channels ECC compatibility Maximum internal memory * Unbuffered memory	Dual-channel Non-ECC 128 GB ✓	Ethernet LAN Ethernet interface type Wi-Fi *	✓ 2.5 Gigabit Ethernet ×
Storage controllers		Features	
Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported RAID support RAID levels	4	Motherboard chipset * Audio output channels * Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported	Intel B860 7.1 channels PC micro ATX Intel Windows 10 x64, Windows 11
Graphics		Expansion slots	
Parallel processing technology support *	Not supported	PCI Express x1 (Gen 4.x) slots PCI Express x16 (Gen 4.x) slots	2
Internal I/O		Number of M.2 (M) slots	2
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1) connectors * Number of SATA III connectors *	2 2 4	1st M.2 largest key size 1st M.2 highest PCI Express generation 2nd M.2 largest key size	22805.02280
Number of SATA III conflictions	T	Ziid iii.Z idigest key size	2200

nal I/O		Expansion slots	
PDIF out connector	✓	2nd M.2 highest PCI Express	4.0
ont panel audio connector	✓	generation	
Front panel connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	256 Mbit
Number of chassis fan connectors	2	Packaging data	
Number of COM connectors	1	Package width	270 mm
TPM connector	✓	Package depth	263 mm
12V power connector	✓	Package height	51.5 mm
RGB LED pin header	✓	Package weight	1.07 kg
Rear panel I/O ports		Weight & dimensions	
	2	Width	244 mm
USB 2.0 ports quantity *	2	Depth	222 mm
		Packaging content	
		Cables included	SATA



4711387808498

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.