




LG 27U421A-B monitor de computadora 68.6 cm (27") 1920 x 1080 Pixeles Full HD LED Negro

Marca : LG

Código del producto: 27U421A-B

Nombre del producto : 27U421A-B

LG 27U421A-B. Diagonal de la pantalla: 68.6 cm (27"), Resolución de la pantalla: 1920 x 1080 Pixeles, Tipo HD: Full HD, Tecnología de visualización: LED, Tiempo de respuesta: 5 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. montaje VESA. Color del producto: Negro



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	USB Power Delivery up to	15 W
Display resolution *	1920 x 1080 pixels	HDMI *	✓
HD type *	Full HD	HDMI ports quantity	1
Native aspect ratio *	16:9	HDMI version	2.0
Display technology *	LED	Headphone out *	✓
Panel type *	VA	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Display brightness (typical)	250 cd/m ²	Ergonomics	
Response time *	5 ms	VESA mounting *	✓
Response time measurement type	GTG (Gray to Gray)	Panel mounting interface	100 x 100 mm
Screen shape *	Curved	Height adjustment *	✗
Screen curvature rating	1500R	Tilt adjustment	✓
Contrast ratio (typical) *	1000:1	Power	
Maximum refresh rate *	100 Hz	Power consumption (typical) *	17 W
Viewing angle, horizontal	178°	Power consumption (off)	0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50/60 Hz
Pixel pitch	0.3114 x 0.3114 mm	Power supply type	External
Display diagonal (metric)	68.5 cm	Weight & dimensions	
High Dynamic Range (HDR) supported	✓	Width (with stand)	609.6 mm
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Depth (with stand)	170 mm
Colour gamut standard	sRGB	Height (with stand)	451.5 mm
sRGB coverage (typical)	99%	Weight (with stand)	3.72 kg
Performance		Width (without stand)	609.6 mm
Flicker-free technology	✓	Depth (without stand)	43.7 mm
Multimedia		Height (without stand)	360.3 mm
Built-in speaker(s) *	✗	Weight (without stand)	3.02 kg
Built-in camera *	✗	Packaging data	
Design		Package width	690 mm
Market positioning *	Consumer	Package depth	143 mm
Product colour *	Black	Package height	448 mm
		Package weight	4.94 kg

Ports & interfaces		Packaging content	
Built-in USB hub *	✗	Stand included	✓
USB Power Delivery (USB PD)	✓	Cables included	AC, HDMI
		Power adapter included	✓
		Screws included	✓
		Quick start guide	✓



8806096323809

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAY-2025. Prints or copies of Information are only valid on the printed Publication date