GIGABYTE B650 AORUS ELITE AX V2 placa base AMD B650 Enchufe AM5 ATX

Marca: GIGABYTE

Código del producto: B650 AORUS ELITE AX V2

Nombre del producto : B650 AORUS ELITE AX V2 Placa base - AMD Ryzen serie 9000, VRM de 12+2+2 fases, hasta 8000 MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5

GbE, WIFI 6E, USB 3.2 Gen 2

Consus Co

B650 AORUS ELITE AX V2 Placa base - AMD Ryzen serie 9000, VRM de 12+2+2 fases, hasta 8000 MHz DDR5 (OC), 1xPCle 5.0+2xPCle 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2

GIGABYTE B650 AORUS ELITE AX V2 placa base AMD B650 Enchufe AM5 ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	WiFi-AP antenna jack	2
Processor socket *	Socket AM5	Network	
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000	Ethernet LAN	✓
	Series	Ethernet interface type	2.5 Gigabit Ethernet
Supported processor sockets	Socket AM5	LAN controller	Realtek RTL8125
Memory		Wi-Fi *	✓
Supported memory types * DDR5-SDRAM Number of memory slots * 4 Memory slots type DIMM		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory channels ECC compatibility Non-ECC Supported memory clock speeds 8000,7800,7600,720	7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speed 8000 MHz		WLAN controller model	Realtek RTL8852CE
(max) Maximum internal memory * 256 GB		Bluetooth	✓
Unbuffered memory ✓ Maximum internal memory per slot 64 GB		Bluetooth version	5.3
Storage controllers		Features	
Supported storage drive types	HDD & SSD	Motherboard chipset *	AMD B650
Supported storage drive interfaces	* M.2, SATA III	Audio chip	Realtek ALC897
Number of HDDs supported	4	Audio output channels *	7.1 channels
Number of storage drives supported	d 7	Product colour	Black
RAID support	/	PC health monitoring	Fan, Temperature, Voltage, Water cooling
RAID levels	0, 1, 10	Component for *	PC
Graphics		Motherboard form factor *	ATX
Parallel processing technology	Not supported	Motherboard chipset family *	AMD
support * Maximum resolution	4096 x 2160 pixels	Windows operating systems supported	Windows 10 x64, Windows 11 x64
HDCP	✓	Expansion slots	
DirectX version	12.0	PCI Express x16 (Gen 3.x) slots	2
Discrete graphics support	✓	PCI Express x16 (Gen 4.x) slots	1

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	Number of M.2 (M) slots	3
USB 3.2 Gen 1 (3.1 Gen 1)		1st M.2 largest key size	25110
connectors *	1	1st M.2 highest PCI Express	
USB 3.2 Gen 2x2 connectors	1	generation	5.0
Number of SATA III connectors *	4	2nd M.2 largest key size	25110
Front panel audio connector	✓	2nd M.2 highest PCI Express	4.0
Front panel connector	✓	generation	25110
ATX Power connector (24-pin)	✓	3rd M.2 largest key size 3rd M.2 highest PCI Express	
CPU fan connector	✓	generation	4.0
Number of CPU fan connectors	2	BIOS	
Number of chassis fan connectors	4	BIOS type *	UEFI AMI
EPS power connector (8-pin)	✓	BIOS memory size	256 Mbit
TPM connector	✓	ACPI version	5.0
12V power connector	✓	Clear CMOS jumper	1
Number of water pump connectors	2	Desktop Management Interface	0.7
RGB LED pin header	✓	(DMI) version	2.7
Number of RGB LED pin headers	4	System Management BIOS (SMBIOS) version	2.7
Rear panel I/O ports		Logistics data	
USB 2.0 ports quantity *	4	Country of origin	China
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Products per shipping (inner) case	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1	Battery weight	3 g
ports quantity *	1	Lithium weight per battery	0.07 g 1
Ethernet LAN (RJ-45) ports *	1	Number of battery cells	Lithium-Manganese Dioxide
HDMI ports quantity *	1	Battery technology	(LiMnO2)
HDMI version	2.1	Battery type	CR2032
DisplayPorts quantity DisplayPort version	1 1.4	Packaging data	
Headphone outputs	1.4	Package width	335 mm
Line-in	<i>'</i>	Package depth	270 mm
Microphone in	·	Package height	80 mm
Microphone III	•	Package weight	2.29 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)





4719331859381

0889523039984



889523039984

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.