

GIGABYTE B650 AORUS ELITE AX V2 placa base AMD B650 Enchufe AM5 ATX

Marca : GIGABYTE

Código del producto: B650 AORUS ELITE AX V2

Nombre del producto : B650 AORUS ELITE AX V2 Placa base - AMD Ryzen serie 9000, VRM de 12+2+2 fases, hasta 8000 MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2

B650 AORUS ELITE AX V2 Placa base - AMD Ryzen serie 9000, VRM de 12+2+2 fases, hasta 8000 MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, LAN 2,5 GbE, WIFI 6E, USB 3.2 Gen 2

GIGABYTE B650 AORUS ELITE AX V2 placa base AMD B650 Enchufe AM5 ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenidos o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	WiFi-AP antenna jack	2
Processor socket *	Socket AM5	Network	
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Ethernet LAN	✓
Supported processor sockets	Socket AM5	Ethernet interface type	2.5 Gigabit Ethernet
Memory		LAN controller	Realtek RTL8125
Supported memory types *	DDR5-SDRAM	Wi-Fi *	✓
Number of memory slots *	4	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory slots type	DIMM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	WLAN controller model	Realtek RTL8852CE
ECC compatibility	Non-ECC	Bluetooth	✓
Supported memory clock speeds	8000,7800,7600,7200,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400 MHz	Bluetooth version	5.3
Supported memory clock speed (max)	8000 MHz	Features	
Maximum internal memory *	256 GB	Motherboard chipset *	AMD B650
Unbuffered memory	✓	Audio chip	Realtek ALC897
Maximum memory per slot	64 GB	Audio output channels *	7.1 channels
Storage controllers		Product colour	Black
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	4	Motherboard form factor *	ATX
Number of storage drives supported	7	Motherboard chipset family *	AMD
RAID support	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID levels	0, 1, 10	Expansion slots	
Graphics		PCI Express x16 (Gen 3.x) slots	2
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 4.x) slots	1
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		
DirectX version	12.0		
Discrete graphics support	✓		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	Number of M.2 (M) slots	3
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	1st M.2 largest key size	25110
USB 3.2 Gen 2x2 connectors	1	1st M.2 highest PCI Express generation	5.0
Number of SATA III connectors *	4	2nd M.2 largest key size	25110
Front panel audio connector	✓	2nd M.2 highest PCI Express generation	4.0
Front panel connector	✓	3rd M.2 largest key size	25110
ATX Power connector (24-pin)	✓	3rd M.2 highest PCI Express generation	4.0
CPU fan connector	✓	BIOS	
Number of CPU fan connectors	2	BIOS type *	UEFI AMI
Number of chassis fan connectors	4	BIOS memory size	256 Mbit
EPS power connector (8-pin)	✓	ACPI version	5.0
TPM connector	✓	Clear CMOS jumper	✓
12V power connector	✓	Desktop Management Interface (DMI) version	2.7
Number of water pump connectors	2	System Management BIOS (SMBIOS) version	2.7
RGB LED pin header	✓	Logistics data	
Number of RGB LED pin headers	4	Country of origin	China
Rear panel I/O ports		Products per shipping (inner) case	1 pc(s)
USB 2.0 ports quantity *	4	Battery	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Battery weight	3 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Number of battery cells	1
Ethernet LAN (RJ-45) ports *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI ports quantity *	1	Battery type	CR2032
HDMI version	2.1	Packaging data	
DisplayPorts quantity	1	Package width	335 mm
DisplayPort version	1.4	Package depth	270 mm
Headphone outputs	1	Package height	80 mm
Line-in	✓	Package weight	2.29 kg
Microphone in	✓	Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331859381



0889523039984



889523039984

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-MAY-2025. Prints or copies of Information are only valid on the printed Publication date