



## MSI GERFORCE RTX 5060 TI 8G VENTUS 2X PLUS tarjeta gráfica NVIDIA GeForce RTX 5060 Ti 8 GB GDDR7

Marca : MSI

Código del producto: GERFORCE RTX 5060 TI  
8G VENTUS 2X PLUS



Nombre del producto : GERFORCE RTX 5060 TI  
8G VENTUS 2X PLUS

- Powered by the NVIDIA Blackwell architecture and DLSS 4
  - Core Clock:
  - Extreme Performance: 2587 MHz (MSI Center)
  - Boost: 2572 MHz
  - STORMFORCE FAN: Seven fan blades, claw texturing, and a circular arc are designed for optimal airflow with minimal noise
  - Heat Pipes designed for efficient heat transfer, the heat pipes effectively draw thermal energy away from the GPU, improving overall cooling performance
  - Reinforcing Backplate: The reinforcing backplate features an airflow vent that allows exhaust air to directly pass through
  - MSI Center: The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time
  - Afterburner software takes full control with the most recognized and widely used graphics card overclocking software in the world
- NVIDIA GeForce RTX 5060 Ti, 8GB GDDR7, 128 bit, PCI Express x16 5.0, 1 x HDMI (2.1b), 3 x DP (2.1b), CUDA, DirectX 12 Ultimate, OpenGL 4.6, 180W



Procesador		Desempeño	
CUDA *	✓	Sintonizador de TV integrado *	✗
Núcleos CUDA	4608	Versión DirectX *	12 Ultimate
Familia de procesadores de gráficos *	NVIDIA	Versión OpenGL *	4.6
Procesador gráfico *	GeForce RTX 5060 Ti	Dual Link DVI *	✗
Aumento de la velocidad de reloj del procesador	2572 MHz	NVIDIA G-SYNC	✓
Máxima resolución *	7680 x 4320 Pixeles	Diseño	
Máximas pantallas por tarjeta de video	4	Tipo de enfriamiento *	Activo
Memoria		Número de ventiladores	2 Ventilador(es)
Capacidad memoria de adaptador gráfico *	8 GB	Factor de forma	Full-Height/Half-Length (FH/HL)
Tipo de memoria de adaptador gráfico *	GDDR7	Color del producto	Plata
Bus de memoria *	128 Bit	Control de energía	
Velocidad de transferencia de datos	28 Gbit/s	Suministro de energía al sistema mínimo *	600 W
Puertos e Interfaces		Consumo energético *	180 W
Tipo de interfaz *	PCI Express x16 5.0	Conectores de energía suplementario	1x 8-pines
Número de puertos HDMI *	1	Peso y dimensiones	
Versión HDMI	2.1b	Peso	573 g
Cantidad de DisplayPorts *	3	Longitud	227 mm
Versión de DisplayPort	2.1b	Profundidad	41 mm
		Altura	127 mm
		Empaquetado de datos	
		Peso del paquete	834 g
		Tipo de empaque	Caja
		Contenido del empaque	
		Cables incluidos	Corriente

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.