



EZVIZ HB8 Esférico Cámara de seguridad IP Exterior 2560 x 1440 Pixeles Techo/pared

Marca : EZVIZ

Código del producto: CS-HB8

Nombre del producto : HB8



EZVIZ HB8. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Techo/pared, Color del producto: Negro, Blanco, Factor de forma: Esférico. Ángulo de visión del objetivo, horizontal: 83°, Ángulo de visión del objetivo, vertical: 44°, Ángulo de visión de la lente, diagonal: 100°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 3 mm (1 / 3"). Distancia focal fija: 4 mm

Performance		Network	
Type *	IP security camera	Ethernet LAN *	✓
Placement supported *	Outdoor	Wi-Fi *	✓
Connectivity technology *	Wired & Wireless	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
PTZ control	✓	Wi-Fi data rate (max)	150 Mbit/s
Auto-tracking	✓	Bluetooth *	✗
Day/night mode	✓	Channel bandwidth	20 MHz
Infrared (IR) cut-off filter	✓	Storage	
Built-in light	✓	Built-in HDD *	✗
Operating frequency	2400 - 24835 MHz	Flash memory	32000 MB
Design		Security	
Form factor *	Spherical	Password protection	✓
Mounting type *	Ceiling/wall	Video motion detection	✓
Product colour *	Black, White	Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Weatherproof	✓	Intelligent Video Surveillance (IVS) system features	Human detection
Camera		Motion sensor	✓
Camera pan control	✓	Motion sensor technology	Passive infrared (PIR) sensor
Camera tilt control	✓	Anti-flicker	✓
Minimum illumination	0 lx	Heartbeat	✓
Lens viewing angle, horizontal	83°	Digital watermark	✓
Lens viewing angle, vertical	44°	Power	
Lens viewing angle, diagonal	100°	Power source type *	Battery
Tilt angle range	0 - 65°	Power consumption (max)	10 W
Pan range	0 - 340°	DC output voltage	5
Image sensor		DC output current	2 A
Number of sensors	1	Battery capacity	10400 mAh
Optical sensor size	25.4 / 3 mm (1 / 3")	Operational conditions	
Progressive scan	✓	Operating temperature (T-T)	-20 - 50 °C
Sensor type *	CMOS	Operating relative humidity (H-H)	0 - 95%
Lens system		Weight & dimensions	
Maximum aperture number	1.6	Width	186 mm
Fixed focal length	4 mm	Depth	166 mm
Night vision		Height	116 mm
Night vision *	✓	Weight	803 g
Night vision distance	15 m		
LED type	IR		

Video		Packaging data	
Maximum resolution *	2560 x 1440 pixels	Package width	216 mm
Total megapixels *	4 MP	Package depth	145 mm
Video compression formats	H.264, H.265	Package height	203 mm
Supported graphics resolutions	2560 x 1440	Package weight	1.06 kg
Frame rate	15 fps	Sustainability	
Noise reduction	✓	Sustainability compliance	✓
Noise reduction technology	3D noise reduction	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, WEEE
Bit rate	2 Mbps		
Audio		Packaging content	
Built-in speaker(s)	✓	Number of cameras *	1
Built-in microphone	✓	Cables included	USB
Audio detection	✓	Screws included	✓
		Drilling template included	✓
		Manual	✓



6941545609317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date