



EZVIZ C6N Domo Cámara de seguridad IP Interior 1920 x 1080 Pixeles Escritorio

Marca : EZVIZ

Código del producto: CS-C6N-B0-1G2WF

Nombre del producto : C6N

EZVIZ C6N. Tipo: Cámara de seguridad IP, Colocación compatible: Interior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Escritorio, Color del producto: Negro, Blanco, Factor de forma: Domo. Ángulo de visión del objetivo, horizontal: 75°, Ángulo de visión del objetivo, vertical: 45°, Ángulo de visión de la lente, diagonal: 85°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 4 mm (1 / 4"). Zoom digital: 8x, Distancia focal fija: 4 mm



Performance		Network	
Type *	IP security camera	Ethernet LAN *	✓
Placement supported *	Indoor	Ethernet interface type	Fast Ethernet
Connectivity technology *	Wired & Wireless	Wi-Fi *	✓
Wide Dynamic Range (WDR)	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Infrared (IR) cut-off filter	✓	Wi-Fi data rate (max)	72.2 Mbit/s
Operating frequency	2400 - 2483.5 MHz	Bluetooth *	✗
Certification	FCC / UL / CE / WEEE / REACH	Channel bandwidth	20 MHz
Design		Storage	
Form factor *	Dome	Built-in HDD *	✗
Mounting type *	Desk	Card reader integrated	✓
Product colour *	Black, White	Compatible memory cards	MicroSD (TransFlash)
Camera		Maximum memory card size	256 GB
Lens viewing angle, horizontal	75°	Ports & interfaces	
Lens viewing angle, vertical	45°	Ethernet LAN (RJ-45) ports	1
Lens viewing angle, diagonal	85°	USB port	✓
White balance	Auto	Security	
Camera shutter type	Electronic	Video motion detection	✓
Image sensor		Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Number of sensors	1	Motion sensor	✓
Optical sensor size	25.4 / 4 mm (1 / 4")	Management features	
Progressive scan	✓	Web-based management	✓
Sensor type *	CMOS	Power	
Lens system		Power source type *	DC, USB
Zoom capability	✓	Power consumption (max)	5 W
Digital zoom	8x	DC output voltage	5
Number of lenses *	1	DC output current	1 A
Maximum aperture number	2.4	Operational conditions	
Fixed focal length	4 mm	Operating temperature (T-T)	-10 - 45 °C
Night vision			
Night vision *	✓		

Night vision		Operational conditions	
Night vision distance	10 m	Operating relative humidity (H-H)	0 - 95%
LED type	IR	Weight & dimensions	
Video		Width	88 mm
Maximum resolution *	1920 x 1080 pixels	Depth	88.2 mm
Total megapixels *	2 MP	Height	119 mm
Video compression formats	H.264	Weight	218 g
Supported graphics resolutions	1920 x 1080 (HD 1080)	Packaging data	
Supported video modes	1080p	Package width	103 mm
Frame rate	15 fps	Package depth	103 mm
Video streaming	✓	Package height	168 mm
Noise reduction	✓	Sustainability	
Noise reduction technology	3D noise reduction	Compliance certificates	RoHS
Digital Wide Dynamic Range (DWDR)	✓	Packaging content	
Audio		Number of cameras *	1
Built-in speaker(s)	✓	Cables included	AC
Built-in microphone	✓	Mounting kit	✓
		Screws included	✓
		Manual	✓
		AC adapter included	✓
		Technical details	
		Lens mount interface	M12

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date