



Dahua Technology Entry DH-IPC-HFW1439S1-A-IL-0280B cámara de vigilancia Bala (forma) Cámara de seguridad IP Exterior 2560 x 1440 Pixeles Pared



Marca : Dahua Technology

Familia de productos: Entry

Código del producto: DH-IPC-HFW1439S1-A-IL-0280B

Nombre del producto : DH-IPC-HFW1439S1-A-IL-0280B

Dahua Technology Entry DH-IPC-HFW1439S1-A-IL-0280B. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Pared, Color del producto: Blanco, Factor de forma: Bala (forma). Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 94°, Ángulo de visión del objetivo, vertical: 51°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.9 mm (1 / 2.9"). Distancia de detección: 64 m, Distancia de observación: 25.6 m, Distancia de reconocimiento: 12.8 m

Performance		Video	
Type *	IP security camera	Gain control type	Auto/Manual
Placement supported *	Outdoor	Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Connectivity technology *	Wired	Back Light Compensation (BLC)	✓
Wide Dynamic Range (WDR)	✓	Highlight Compensation (HLC)	✓
Day/night mode	✓	Region of Interest (ROI) encoding	✓
Dynamic range	120 dB		
Design		Audio	
Form factor *	Bullet	Signal-to-Noise Ratio (SNR)	56 dB
Mounting type *	Wall	Built-in microphone	✓
Product colour *	White		
Housing material	Metal, Plastic	Network	
International Protection (IP) code	IP67	Ethernet LAN *	✓
Camera		Ethernet interface type	Fast Ethernet
Minimum illumination	0 lx	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; DHCP; DNS; DDNS; NTP; Multicast; ICMP; IGMP; P2P
Angle of rotation	360°	Wi-Fi *	✗
Lens viewing angle, horizontal	94°	Bluetooth *	✗
Lens viewing angle, vertical	51°	Number of users	6 user(s)
Lens viewing angle, diagonal	110°	Storage	
Tilt angle range	0 - 90°	Built-in HDD *	✗
Pan range	0 - 360°	ROM capacity	16 MB
White balance	Auto, Manual, Natural, Outdoor, Regional custom, Street lamp	RAM capacity	64 MB
Camera shutter type	Electronic	Security	
Camera shutter speed	1/3 - 1/100000 s	Video motion detection	✓
Number of Privacy masking areas	4	Mirror	✓
Image sensor		Management features	
Optical sensor size	25.4 / 2.9 mm (1 / 2.9")	Web browser	✓
Progressive scan	✓	Power	
Sensor type *	CMOS	Power source type *	DC, PoE
Lens system		Power consumption (typical)	1.6 W
Detect distance	64 m	Power consumption (max)	4.7 W
Observe distance	25.6 m	Power consumption (Power over Ethernet (PoE))	2 W
Recognize distance	12.8 m	DC output voltage	12
Identify distance	6.4 m	Operational conditions	
Minimum aperture number	1.6	Operating temperature (T-T)	-40 - 60 °C
Fixed focal length	2.8 mm		
Closest focusing distance	1.1 m		

Night vision		Operational conditions	
Night vision *	✓	Storage temperature (T-T)	-40 - 60 °C
Night vision distance	30 m	Operating relative humidity (H-H)	0 - 95%
LED type	IR/White	Storage relative humidity (H-H)	0 - 95%
Video		System requirements	
Maximum resolution *	2560 x 1440 pixels	Mobile operating systems supported Android, iOS	
Total megapixels *	4 MP	Weight & dimensions	
Video compression formats	H.264, H.264B, H.264H, H.265, M-JPEG	Width	162.6 mm
	352 x 240, 352 x 288, 640 x 480 (VGA), 704 x 480, 704 x 576, 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2304 x 1296, 2560 x 1440	Depth	70 mm
Supported graphics resolutions		Height	70 mm
		Weight	220 g
Noise reduction	✓	Packaging data	
Noise reduction technology	3D noise reduction	Package weight	350 g
		Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-JAN-2025. Prints or copies of Information are only valid on the printed Publication date