



## XPG BATTLECRUSIER Midi Tower Negro

**Marca :** XPG

**Código del producto:** BATTLECRUSIER-BKCWW

**Nombre del producto :** BATTLECRUSIER

- Construcción de metal con paneles de cristal
- Controlador combinado ARGB XPG PRIME™
- Diseño de refrigeración por flujo de aire eficiente
- Diseño modular sin necesidad de herramientas
- Filtro de polvo magnético y paneles frontales
- Ordenación inteligente de los cables
- Excelente espacio interior para configuraciones y actualizaciones
- Selección versátil de puertos de E/S

Gabinete GAMER ADATA Battlecrusier, Media torre, SPCC, Mini-ITX/Micro-ATX/ATX/E-ATX, Negro XPG BATTLECRUSIER. Factor de forma: Midi Tower, Tipo: PC, Color del producto: Negro. Ventiladores frontales instalados: 3x 120 mm, Diámetro de ventiladores frontales soportados: 120,140 mm, Ventiladores traseros instalados: 1x 120 mm. Tamaños de disco duro soportados: 2.5,3.5". Ancho: 225 mm, Profundidad: 506 mm, Altura: 485 mm. Grosor del panel de vidrio templado: 4 mm



Design		Cooling	
Material	Metal, Tempered glass	Front fans diameters supported	120,140 mm
Form factor *	Midi Tower	Rear fans installed	1x 120 mm
Type *	PC	Number of rear fans supported (max)	1
Product colour *	Black	Rear fans diameters supported	120 mm
Supported motherboard form factors *	ATX, EATX, micro ATX, Mini-ITX	Number of top fans supported (max)	3
Number of 3.5" bays *	3	Top fans diameters supported	120,140 mm
Number of 2.5" bays	6	Number of bottom fans supported (max)	1
Side window	✓	Bottom fans diameters supported	120 mm
Suitable for	Gaming	Liquid cooling capability	✓
Illumination	✓	Front radiator sizes supported	240,280,360 mm
Illumination colour	Blue, Green, Red	Rear radiator sizes supported	120 mm
Tempered glass panel(s)	✓	Top radiator sizes supported	240,360 mm
Anti-dust filter	✓	Storage	
Reset button	✓	Supported HDD sizes *	2.5,3.5"
On/off button	✓	Number of HDDs supported	9
LED indicators	✓	Weight & dimensions	
Maximum CPU cooler height	17 cm	Width	225 mm
Maximum graphics card length	40 cm	Depth	506 mm
Maximum PSU length	22.5 cm	Height	485 mm
Power supply		Other features	
Power supply included *	✗	Backplanes support	✓
Ports & interfaces		Easy to customize	✓
Audio input	✓	Tempered glass panel thickness	4 mm
Audio output	✓		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2		

**Cooling**

Front fans installed	3x 120 mm
Number of front fans supported (max)	3

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date