## GIGABYTE B760M H DDR4 placa base Intel B760 Express LGA 1700 Micro ATX

Marca : GIGABYTE Código del producto: B760M H DDR4

Nombre del producto: B760M H DDR4







Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series *	Intel LGA 1700 Intel® Celeron®, Intel® Pentium® Gold	HDMI ports quantity * HDMI version DisplayPorts quantity DisplayPort version	1 1.4 1 1.4
Maximum number of SMP processors	1	Network	
Supported processor sockets Maximum internal memory supported by processor	LGA 1700 64 GB	Ethernet LAN Ethernet interface type Wi-Fi *	✓ Gigabit Ethernet ×
Memory		Features	
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module	DDR4-SDRAM 2 DIMM Dual-channel Non-ECC 2133,2400,2666,2933,3000,3200 MHz 3200 MHz 64 GB 1GB, 2GB, 4GB, 8GB, 12GB, 16GB,	Motherboard chipset * Audio chip Audio output channels * Product colour Component for * Motherboard form factor * Motherboard chipset family * Power source type Windows operating systems supported	Intel B760 Express Realtek ALC897 7.1 channels Brown PC micro ATX Intel ATX Windows 10, Windows 11
capacities	32GB	Expansion slots	
Storage controllers Supported storage drive interfaces * Number of HDDs supported	<sup>¢</sup> M.2, SATA III 4	PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots BIOS	1 2
Number of storage drives supported RAID support RAID levels	6 • 0, 1, 5, 10	BIOS type * BIOS memory size ACPI version Clear CMOS jumper	UEFI AMI 128 Mbit 5.0 ✓

Graphics		BIOS	
•			
Parallel processing technology support *	Not supported	Desktop Management Interface (DMI) version	2.7
DirectX version	12.1	System Management BIOS (SMBIOS) version	2.7
Internal I/O		Lauistica data	
USB 2.0 connectors *	2	Logistics data	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Country of origin Products per shipping (inner) case	China 1 pc(s)
Number of SATA III connectors *	4	Battery	
Total number of SATA connectors	4	Battery weight	3 g
Front panel audio connector	✓	Lithium weight per battery	0.07 g
Front panel connector	✓	Number of battery cells	1
ATX Power connector (24-pin)	✓	Battery technology	Lithium-Manganese Dioxide
CPU fan connector	✓	Dattan, tuna	(LiMnO2) CR2032
EPS power connector (8-pin)	✓	Battery type	CR2032
TPM connector	✓	Packaging data	
Serial port headers	1	Package width	265 mm
RGB LED pin header	✓	Package depth	265 mm
Rear panel I/O ports		Package height	54 mm
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Package weight	825 g
		Weight & dimensions	
		Width	230 mm
Ethernet LAN (RJ-45) ports *	1	Depth	215 mm
VGA (D-Sub) ports quantity *	1	Height	35 mm
		Packaging content	
		Batteries included	✓
		Technical details	
		Warranty period	3 year(s)



4719331854645

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.